

## *Women under The Influence*

### **Bibliography**

- ABC News. (1998). *Mother's little helper: Valium at 35*. [On-line]. Retrieved April 7, 2003 from the World Wide Web: <http://www.benzo.org.uk>.
- Abdelrahman, A. I., Rodriguez, G., Ryan, J. A., French, J. F., & Weinbaum, D. (1998). The epidemiology of substance use among middle school students: The impact of school, familial, community and individual risk factors. *Journal of Child and Adolescent Substance Abuse*, 8(1), 55-75.
- Abel, E. L. (1988). Fetal alcohol syndrome in families. *Neurotoxicology and Teratology*, 10(1), 1-2.
- Abel, E. L., & Sokol, R. J. (1987). Incidence of fetal alcohol syndrome and economic impact of FAS-related anomalies. *Drug and Alcohol Dependence*, 19(1), 51-70.
- Abt Associates. (2002). *8th Abt tobacco report: Independent evaluation of the Massachusetts Tobacco Control Program eighth annual report: January 1994 to June 2001*. [On-line]. Retrieved June 7, 2004 from the World Wide Web: <http://www.mass.gov>.
- Acoca, L. (1998). Outside/inside: The violation of American girls at home, on the streets, and in the juvenile justice system. *Crime and Delinquency*, 44(4), 561-589.
- Adlaf, E. M., & Ivis, F. J. (1996). Structure and relations: The influence of familial factors on adolescent substance use and delinquency. *Journal of Child and Adolescent Substance Abuse*, 5(3), 1-19.
- Adlaf, E. M., & Smart, R. G. (1985). Drug use and religious affiliation, feelings and behaviour. *British Journal of Addiction*, 80(2), 163-171.
- Ads and prescription pads [Editorial]. (2003). *Canadian Medical Association Journal*, 169(5), 381.
- Agency for Health Care Policy and Research. (1996). *Smoking cessation: Clinical practice guidelines no. 18*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.
- Ahijevych, K., Gillespie, J., Demirci, M., & Jagadeesh, J. (1996). Menthol and nonmenthol cigarettes and smoke exposure in black and white women. *Pharmacology, Biochemistry and Behavior*, 53(2), 355-360.
- Alan Guttmacher Institute. (2004). *State policies in brief: Substance abuse during pregnancy*. [On-line]. Retrieved March 4, 2004 from the World Wide Web: <http://www.guttmacher.org>.
- Aldrich, M. R. (1994). Historical notes on women addicts. *Journal of Psychoactive Drugs*, 26(1), 61-64.

- Alexander, F., & Duff, R. W. (1988). Drinking in retirement communities. *Generations*, 12(4), 58-62.
- Aligne, C. A., Moss, M. E., Auinger, P., & Weitzman, M. (2003). Association of pediatric dental with passive smoking. *JAMA*, 289(10), 1258-1264.
- Allison, K. W., Crawford, I., Leone, P. E., Trickett, E., Perez-Febles, A., Burton, L. M., et al. (1999). Adolescent substance use: Preliminary examinations of school and neighborhood context. *American Journal of Community Psychology*, 27(2), 111-141.
- Aloise-Young, P. A., & Hennigan, K. M. (1996). Self-image, the smoker stereotype and cigarette smoking: Developmental patterns from fifth through eighth grade. *Journal of Adolescence*, 19(2), 163-177.
- American Academy of Pediatrics, Committee on Adolescents. (2000). Suicide and suicide attempts in adolescents. *Pediatrics*, 105(4, Pt. 1), 871-874.
- American Academy of Pediatrics. (2004). *A woman's guide to breastfeeding*. [On-line]. Retrieved January 26, 2004 from the World Wide Web: <http://www.aap.org>.
- American Cancer Society. (2003). *Cigarette smoking*. [On-line]. Retrieved March 31, 2004 from the World Wide Web: <http://www.cancer.org>.
- American College of Chest Physicians. (2004). *Smoking trends and health issues: Women and girls*. [On-line]. Retrieved January 3, 2002 from the World Wide Web: <http://speakerskit.chestnet.org/>.
- American Heart Association. (2004). *Heart disease and stroke statistics: 2004 update*. Dallas, TX: American Heart Association.
- American Heart Association. (2004). *Risk factors and coronary heart disease*. [On-line]. Retrieved February 27, 2004 from the World Wide Web: <http://www.americanheart.org>.
- American Legacy Foundation. (2000). *Legacy first look report: Cigarette smoking among youth: Results from the 1999 National Youth Tobacco Survey*. Washington, DC: American Legacy Foundation.
- American Lung Association. (2000). *Smoking and pregnancy [Fact sheet]*. [On-line]. Retrieved January 25, 2002 from the World Wide Web: <http://www.lungusa.org/tobacco>.
- American Lung Association. (2002). *Secondhand smoke [Fact sheet]*. [On-line]. Retrieved February 24, 2004 from the World Wide Web: <http://www.lungusa.org>.
- American Lung Association. (2002). *Teenage girls as the target of the tobacco industry [Fact sheet]*. [On-line]. Retrieved March 26, 2004 from the World Wide Web: <http://www.lungusa.org>.
- American Lung Association. (2003). *Facts about lung cancer*. [On-line]. Retrieved March 31, 2004 from the World Wide Web: <http://www.lungusa.org>.

- American Lung Association. (2003). *When you smoke, your family smokes!* [On-line]. Retrieved March 22, 2004 from the World Wide Web: <http://www.lungusa.org>.
- American Lung Association. (2005). *Trends in lung cancer morbidity and mortality*. New York: American Lung Association, Epidemiology and Statistic Unit, Research and Program Services.
- American Medical Association. (2002). *Underage drinkers at higher risk of brain damage than adults, American Medical Association report reveals* [Press release]. Chicago: American Medical Association.
- American Medical Association. (2003). *Fact sheet: Effects of alcohol on brains of adolescents*. [On-line]. Retrieved March 4, 2004 from the World Wide Web: <http://www.ama-assn.org>.
- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders: DSM-IV*. Washington, DC: American Psychiatric Association.
- Amos, A., Gray, D., Currie, C., & Elton, R. (1997). Healthy or druggy? Self-image, ideal image and smoking behaviour among young people. *Social Science and Medicine*, 45(6), 847-858.
- Andersen, M. R., Leroux, B. G., Marek, P. M., Peterson Jr., A. V., Kealey, K. A., Bricker, J., et al. (2002). Mothers' attitudes and concerns about their children smoking: Do they influence kids? *Preventive Medicine*, 34(2), 198-206.
- Anderson, A. R., & Henry, C. S. (1994). Family system characteristics and parental behaviors as predictors of adolescent substance use. *Adolescence*, 29(114), 405-420.
- Andrews, J. A., Hops, H., Ary, D., Tildesley, E., & Harris, J. (1993). Parental influence on early adolescent substance use: Specific and non-specific effects. *Journal of Early Adolescence*, 13(3), 285-310.
- Aneshensel, C. S., Rutter, C. M., & Lachenbruch, P. A. (1991). Social structure, stress, and mental health: Competing conceptual and analytic models. *American Sociological Review*, 56(2), 166-178.
- Anglin, M. D., & Hser, Y. (1987). Addicted women and crime. *Criminology*, 25(2), 359-397.
- Arday, D. R., Govino, G. A., Schulman, J., Nelson, D. E., Mowery, P., & Samet, J. M. (1995). Cigarette smoking and self-reported health problems among US high school seniors, 1982-1989. *American Journal of Health Promotion*, 10(2), 111-116.
- Arnett, J. J. (1998). Risk behavior and family role transitions during the twenties. *Journal of Youth and Adolescence*, 27(3), 301-320.
- Arnett, J. J. (2000). Emerging adulthood: A theory of development from the late teens through the twenties. *American Psychologist*, 55(5), 469-480.

- Aronow, W. S., Ahn, C., & Gutstein, H. (1996). Risk factors for new atherothrombotic brain infarction in 664 older men and 1,488 older women. *American Journal of Cardiology*, 77(15), 1381-1383.
- Arrestee Drug Abuse Monitoring Program (ADAM). (2002). *Preliminary data on drug use and related matters among adult arrestees and juvenile detainees*. [On-line]. Retrieved March 10, 2004 from the World Wide Web: <http://www.adam-nij.net>.
- Ascione, F. J., & Shimp, L. A. (1988). Helping patients to reduce medication: Misuse and error. *Generations*, 12(4), 52-55.
- Ashley, O. S., Marsden, M. E., & Brady, T. M. (2003). Effectiveness of substance abuse treatment programming for women: A review. *American Journal of Drug and Alcohol Abuse*, 29(1), 19-53.
- Associated Press. (1979, February 9). U.S. asks plan to warn women on alcohol use. *New York Times*, Pg. D15.
- Associated Press. (1982, September 23). One in 600 babies affected by fetal alcohol syndrome. *New York Times*, Pg. A22.
- Association of Maternal and Child Health Programs. (1999). *Smoking cessation makes cents: The cost-effectiveness of tobacco interventions [Fact sheet]*. [On-line]. Retrieved February 9, 2004 from the World Wide Web: <http://www.amchp.org>.
- Atkinson, R. M. (1994). Late onset problem drinking in older adults. *International Journal of Geriatric Psychiatry*, 9(4), 321-326.
- Atkinson, R. M., Ganzini, L., & Bernstein, M. J. (1992). Alcohol and substance-use disorders in the elderly. In J. E. Birren, R. B. Sloane, & G. D. Cohen (Eds.), *Handbook of mental health and aging* (pp. 516-555). New York: Academic Press.
- Austin, G. and Prendergast, M. (1991). Young children of substance abusers. *Prevention Research Update*, 8.
- Austin, S. B., & Gortmaker, S. L. (2001). Dieting and smoking initiation in early adolescent girls and boys: A prospective study. *American Journal of Public Health*, 91(3), 446-450.
- Avins, A. L., Woods, W. J., Lindan, C. P., Hudes, E. S., Clark, W., & Hulley, S. B. (1994). HIV infection and risk behaviors among heterosexuals in alcohol treatment programs. *JAMA*, 271(7), 515-518.
- Axelsson, P., Paulander, J., & Lindhe, J. (1998). Relationship between smoking and dental status in 35-, 50-, 65-, and 75-year-old individuals. *Journal of Clinical Periodontology*, 25(4), 297-305.
- Baer, J. S., Sampson, P. D., Barr, H. M., Connor, P. D., & Streissguth, A. P. (2003). A 21-year longitudinal analysis of the effects of prenatal alcohol exposure on young adult drinking. *Archives of General Psychiatry*, 60(4), 377-385.

- Bailey, S. L., Pollock, N. K., Martin, C. S., & Lynch, K. G. (1999). Risky sexual behaviors among adolescents with alcohol use disorders. *Journal of Adolescent Health, 25*(3), 179-181.
- Baker, L. (2003). *Having more than two alcoholic drinks at a time increases younger women's breast-cancer risk by 80 percent: However, increased risk not found in postmenopausal women.* [On-line]. Retrieved March 1, 2004 from the World Wide Web: <http://www.buffalo.edu/reporter>.
- Baker, P. (1997, May 22). Clinton blasts "glorification of heroin" in magazine fashion photo spreads. *Washington Post*, Pg. A11.
- Barber, J. G., Bolitho, F., & Bertrand, L. D. (1999). Intrapersonal versus peer group predictors of adolescent drug use. *Children and Youth Services Review, 21*(7), 565-579.
- Barefoot, J. C., Grønbaeck, M., Feaganes, J. R., McPherson, R. S., Williams, R. B., & Siegler, I. C. (2002). Alcoholic beverage preference, diet, and health habits in the UNC Alumni Heart Study. *American Journal of Clinical Nutrition, 76*(2), 466-472.
- Barnes, G. M., & Farrell, A. D. (1992). Parental support and control as predictors of adolescent drinking, delinquency, and related behavior problems. *Journal of Marriage and the Family, 54*(4), 763-776.
- Baron, J. A., La Vecchia, C., & Levi, F. (1990). The antiestrogenic effect of cigarette smoking in women. *American Journal of Obstetrics and Gynecology, 162*(2), 502-514.
- Barry, P. P. (1986). Gender as a factor in treating the elderly. In B. A. Ray & M. C. Braude (Eds.), *Women and drugs: A new era for research. NIDA research monograph 65* (DHHS Pub. No. (ADM) 86-1447, pp. 65-69). Rockville, MD: U.S. Department of Health and Human Services, Public Health Service, Alcohol, Drug Abuse, and Mental Health Administration, National Institute on Drug Abuse.
- Baskin, D. R., & Sommers, I. B. (1998). *Causalities of community disorder: Women's careers in violent crime.* Boulder, CO: Westview Press.
- Battjes, R. J., Sloboda, Z., & Grace, W. C. (Eds.). (1994). *The context of HIV risk among drug users and their sexual partners: NIDA research monograph 143* (NIH Pub. No. 94-3750). Washington, DC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute on Drug Abuse.
- Bauman, K. E., Foshee, V. A., & Haley, N. J. (1992). The interaction of sociological and biological factors in adolescent cigarette smoking. *Addictive Behaviors, 17*(5), 459-467.
- Bauman, K. E., Foshee, V. A., Koch, G. G., Haley, N. J., & Downtown, M. I. (1989). Testosterone and cigarette smoking in early adolescence. *Journal of Behavioral Medicine, 12*(5), 425-433.
- Beardsley, R. S., Gardocki, G. J., Larson, D. B., & Hidalgo, J. (1988). Prescribing of psychotropic medication by primary care physicians and psychiatrists. *Archives of General Psychiatry, 45*(12), 1117-1119.

- Beck, K. H., Thombs, D. L., Mahoney, C. A., & Fingar, K. M. (1995). Social context and sensation seeking: Gender differences in college student drinking motivations. *International Journal of the Addictions, 30*(9), 1101-1115.
- Becker, A. B., Manfreda, J., Ferguson, A., Dimich-Ward, H., Watson, W. T. A., & Chan-Yeung, M. (1999). Breast-feeding and environmental tobacco smoke exposure. *Archives of Pediatrics and Adolescent Medicine, 153*(7), 689-691.
- Bellafante, G. (2003, March 9). When midlife seems just an empty plate. *New York Times*, Pg. 9.1.
- Belle, D. (1989). Gender differences in children's social networks and supports. In D. Belle (Ed.), *Children's social network and social supports* (pp. 173-188). New York: John Wiley and Sons.
- Benard, B. (1991). *Fostering resiliency in kids: Protective factors in family, school, and community*. Portland, OR: Northwest Regional Educational Laboratory.
- Berenson, A. B., Wilkinson, G. S., & Lopez, L. A. (1995). Substance use during pregnancy and peripartum complications in a triethnic population. *International Journal of the Addictions, 30*(2), 135-145.
- Bergen-Cico, D., Barretto, C., & Vermette, J. (2003). *The impact of alcohol and other drug policies on gender and referrals to substance abuse counseling*. Unpublished manuscript.
- Bernardy, N. C., King, A. C., & Lovallo, W. R. (2003). Cardiovascular responses to physical and psychological stress in female alcoholics with transitory hypertension after early abstinence. *Alcoholism: Clinical and Experimental Research, 27*(9), 1489-1498.
- Bernstein, L. R., Folkman, S., & Lazarus, R. S. (1989). Characterization of the use and misuse of medications by an elderly, ambulatory population. *Medical Care, 27*(6), 654-663.
- Biener, L., & Siegel, M. (2000). Tobacco marketing and adolescent smoking: More support for a causal inference. *American Journal of Public Health, 90*(3), 407-411.
- Bierut, L. J., Dinwiddie, S. H., Begleiter, H., Crowe, R. R., Hesselbrock, V., Nurnberger, J. I., et al. (1998). Familial transmission of substance dependence: Alcohol, marijuana, cocaine, and habitual smoking: A report from the Collaborative Study on the Genetics of Alcoholism. *Archives of General Psychiatry, 55*(11), 982-988.
- Blake, S. M., Amaro, H., Schwartz, P., & Flinchbaugh, L. J. (2001). A review of substance abuse prevention interventions for young adolescent girls. *Journal of Early Adolescence, 21*(3), 294-324.
- Blazer, D., Hughes, D. C., & George, L. K. (1987). The epidemiology of depression in an elderly community population. *Gerontologist, 27*(3), 281-287.
- Block, J., Block, J. H., & Keyes, S. (1988). Longitudinally foretelling drug usage in adolescence: Early childhood personality and environmental precursors. *Child Development, 59*(2), 336-355.

- Blow, F. C. (1998). *Substance abuse among older adults: Treatment Improvement Protocol (TIP) Series 26* (DHHS Pub. No. (SMA) 98-3179). Rockville, MD: U.S. Department of Health and Human Services, Public Health Service, Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Treatment.
- Blume, S. B. (1991). Sexuality and stigma: The alcoholic woman. *Alcohol Health and Research World, 15*(2), 139-146.
- Bolnick, J. M., & Rayburn, W. F. (2003). Substance use disorders in women: Special considerations during pregnancy. *Obstetrics and Gynecology Clinics of North America, 30*(3), 545-558.
- Bonnie, R. J., & O'Connell, M. E. (Eds.). (2004). *Reducing underage drinking: A collective responsibility*. Washington, DC: National Academy Press.
- Borjesson, W., & Dunn, M. (2001). Alcohol expectancies of women and men in relation to alcohol use and perceptions of the effects of alcohol on the opposite sex. *Addictive Behaviors, 26*(5), 707-719.
- Borsari, B., & Carey, K. B. (2001). Peer influences on college drinking: A review of the research. *Journal of Substance Abuse, 13*(4), 391-424.
- Boston Women's Health Book Collective. (1998). *Our bodies, ourselves for the new century: A book by and for women*. New York: Simon and Schuster.
- Brady, J. P., Posner, M., Lang, C., & Rosati, M. J. (1994). *Risk and reality: The implications of prenatal exposure to alcohol and other drugs*. Washington, DC: U.S. Department of Education, Office of Educational Research and Improvement, Educational Resources Information.
- Braude, M. C. (1986). Drugs and drug interactions in elderly women. In B. A. Ray & M. C. Braude (Eds.), *Women and drugs: A new era for research: NIDA research monograph 65* (DHHS Pub. No. (ADM) 86-1447, pp. 58-64). Rockville, MD: U.S. Department of Health and Human Services, Public Health Service, Alcohol, Drug Abuse, and Mental Health Administration, National Institute on Drug Abuse.
- Bray, R. M., Fairbank, J. A., & Marsden, M. E. (1999). Stress and substance use among military women and men. *American Journal of Drug and Alcohol Abuse, 25*(2), 239-256.
- Brecher, E. M., & Editors of Consumer Reports Magazine. (1972). *Consumers Union report on licit and illicit drugs*. [On-line]. Retrieved December 28, 2001 from the World Wide Web: <http://www.druglibrary.org>.
- Brecht, M.-L., O'Brien, A., von Mayrhauser, C., & Anglin, M. D. (2004). Methamphetamine use behaviors and gender differences. *Addictive Behaviors, 29*(1), 89-106.
- Brener, N. D., McMahon, P. M., Warren, C. W., & Douglas, K. A. (1999). Forced sexual intercourse and associated health-risk behaviors among female college students in the United States. *Journal of Consulting and Clinical Psychology, 67*(2), 252-259.

- Brennan, P. A., Brekin, E. R., Mortensen, E. L., & Mednik, S. A. (2002). Relationship of maternal smoking during pregnancy with criminal arrest and hospitalization for substance abuse in male and female adult offspring. *American Journal of Psychiatry*, *159*(1), 48-54.
- Brennan, P. L., & Moos, R. H. (1996). Late-life drinking behavior: The influence of personal characteristics, life context and treatment. *Alcohol Health and Research World*, *20*(3), 197-204.
- Brennan, P. L., Moos, R. H., & Kim, J. Y. (1993). Gender differences in the individual characteristics and life contexts of late-middle-aged and older problem drinkers. *Addiction*, *88*(6), 781-790.
- Brennan, P. L., Moos, R. H., & Kim, J. Y. (1993). The co-occurrence of alcoholism with other psychiatric disorders in the general population and its impact on treatment. *Journal of Studies on Alcohol*, *49*(3), 219-224.
- Brenner, H., Bode, G., Adler, G., Hoffmeister, A., Koenig, W., & Rothenbacher, D. (2001). Alcohol as a gastric disinfectant? The complex relationship between alcohol consumption and current *Helicobacter pylori* infection. *Epidemiology*, *12*(2), 209-214.
- Breslau, N., & Klein, D. F. (1999). Smoking and panic attacks: An epidemiologic investigation. *Archives of General Psychiatry*, *56*(12), 1141-1147.
- Breslau, N., & Peterson, E. L. (1996). Smoking cessation in young adults: Age at initiation of cigarette smoking and other suspected influences. *American Journal of Public Health*, *86*(2), 214-220.
- Breslin, F. C., O'Keefe, M. K., Burrell, L., Ratliff-Crain, J., & Baum, A. (1995). The effects of stress and coping on daily alcohol use in women. *Addictive Behaviors*, *20*(2), 141-147.
- Bride, B. E. (2001). Single-gender treatment of substance abuse: Effect on treatment retention and completion. *Social Work Research*, *25*(4), 223-231.
- Briggs, G. G. (2003). Stimulants, narcotics, hallucinogens. *Ob.Gyn.News*, *38*(11), 16-17.
- Britton, A., & Marmot, M. (2004). Different measures of alcohol consumption and risk of coronary heart disease and all-cause mortality: 11-year follow-up of the Whitehall II Cohort Study. *Addiction*, *99*(1), 109-116.
- Brody, G. H., Flor, D. L., Hollet-Wright, N., McCoy, J. K., & Donovan, J. (1999). Parent-child relationships, child temperament profiles and children's alcohol use norms. *Journal of Studies on Alcohol, Suppl. 13*, 45-51.
- Brody, J. E. (1998, December 15). Drug ads lure patients into jargon-strewn territory. *New York Times*, Pg. F7.
- Brook, J. S., Brook, D. W., & Whiteman, M. (2000). The influence of maternal smoking during pregnancy on the toddler's negativity. *Archives of Pediatrics and Adolescent Medicine*, *154*(4), 381-385.

- Brook, J. S., Richter, L., Whiteman, M., & Cohen, P. (1999). Consequences of adolescent marijuana use: Incompatibility with the assumption of adult roles. *Genetic, Social, and General Psychology Monographs*, 125(2), 193-207.
- Brown, E. R., Wyn, R., Cumberland, W. G., Yu, H., Abel, E., Gelberg, L., et al. (1995). *Women's health-related behaviors and use of clinical preventive services: A report to the Commonwealth Fund*. Los Angeles: UCLA Center for Health Policy Research.
- Brown, T. L., Parks, G. S., Zimmerman, R. S., & Phillips, C. M. (2001). The role of religion in predicting adolescent alcohol use and problem drinking. *Journal of Studies on Alcohol*, 62(5), 696-705.
- Bryant, A. (2000, March 20). In tobacco's face. *Newsweek*, 135(12), 40-41.
- Burns, B. J., Wagner, H. R., Taube, J. E., Magaziner, J., Permutt, T., & Landerman, L. R. (1993). Mental health service use by the elderly in nursing homes. *American Journal of Public Health*, 83(3), 331-337.
- Burt, R., Dinh, K., Peterson, A., & Sarason, I. (2000). Predicting adolescent smoking: A prospective study of personality variables. *Preventive Medicine*, 30(2), 115-125.
- Byrne, D., Byrne, A., & Reinhart, M. (1995). Personality, stress and the decision to commence cigarette smoking in adolescence. *Journal of Psychosomatic Research*, 39(1), 53-62.
- Camp, D. E., Klesges, R. C., & Relyea, G. (1993). The relationship between body weight concerns and adolescent smoking. *Health Psychology*, 12(1), 24-32.
- Campaign for Tobacco-free Kids. (2000). *New study shows tobacco advertising impacts kids more than adults: Three-quarters of teens also say it is easy for minors to buy cigarettes: Study released on Kick Butts Day as kids call on next president to protect them from tobacco [Press release]*. [On-line]. Retrieved March 18, 2004 from the World Wide Web: <http://www.tobaccofreekids.org>.
- Campaign for Tobacco-free Kids. (2004). *Tobacco marketing to kids [Fact sheet]*. [On-line]. Retrieved March 26, 2004 from the World Wide Web: <http://www.tobaccofreekids.org>.
- Campaign for Tobacco-free Kids. (2004). *Women and girls and tobacco*. [On-line]. Retrieved February 27, 2004 from the World Wide Web: <http://tobaccofreekids.org>.
- Capri advertising*. (1998). [On-line]. Retrieved January 29, 2003 from the World Wide Web: <http://www.geocities.com/SouthBeach/Palms/2120/capriads.htm>.
- Caracci, G., & Miller, N. S. (1991). Epidemiology and diagnosis of alcoholism in the elderly (A review). *International Journal of Geriatric Psychiatry*, 6(7), 511-515.
- Carise, D., McLellan, A. T., Gifford, L., & Kleber, H. D. (1999). Developing a national addiction treatment information system: An introduction to the Drug Evaluation Network System. *Journal of Substance Abuse Treatment*, 17(1-2), 67-77.
- Carlson, P. (1999, May 6). The straight dope: D.E.A's new museum is a monument to self-destruction. *Washington Post*, Pg. C1.

- Carlsson, S., Hammar, N., Grill, V., & Kaprio, J. (2003). Alcohol consumption and the incidence of type 2 diabetes: A 20-year follow-up of the Finnish Twin Cohort Study. *Diabetes Care*, 26(20), 2785-2790.
- Caron, J. (2002). *Keeley Institute: Fargo, ND*. [On-line]. Retrieved March 24, 2004 from the World Wide Web: <http://www.fargo-history.com/>.
- Casper, M. L., Barnett, E., Halverson, J. A., Elmes, G. A., Braham, V. E., Majeed, Z. A., et al. (2002). *Women and heart disease: An atlas of racial and ethnic disparities in mortality* (2nd ed.). Atlanta, GA: Centers for Disease Control and Prevention.
- Caspi, A., Lynam, D., Moffit, T. E., & Silva, P. A. (1993). Unraveling girls' delinquency: Biological, dispositional, and contextual contributions to adolescent misbehavior. *Developmental Psychology*, 29(1), 19-30.
- Castrucci, B. C., Gerlach, K. K., Kaufman, N. J., and Orleans, C. J. (2002). Adolescents' acquisition of cigarettes through noncommercial sources. *Journal of Adolescent Health*, 31(4).
- Catalano, R. F., Morrison, D. M., Wells, E. A., Gillmore, M. R., Iritani, B., & Hawkins, J. D. (1992). Ethnic differences in family factors related to early drug initiation. *Journal of Studies on Alcohol*, 53(3), 208-217.
- Cauce, A. M., Felner, R. D., & Primavera, J. (1982). Social support in high-risk adolescents: Structural components and adaptive impact. *American Journal of Community Psychology*, 10(4), 417-428.
- Center for Science in the Public Interest. (2001). *National poll shows "alcopops" drinks lure teens: Groups demand government investigate "starter suds"* [Press release]. Washington, DC: Center for Science in the Public Interest.
- Center for Science in the Public Interest. (2001). *National poll shows "alcopops" drinks lure teens: Groups demand government investigate "starter suds"* [Press release]. Washington, DC: Center for Science in the Public Interest.
- Center for Science in the Public Interest. (2003). *Coaching legends help launch "alcohol-free sports TV" effort: 71 percent want colleges to dump beer ads*. [On-line]. Retrieved May 18, 2004 from the World Wide Web: <http://www.cspinet.org>.
- Center for Substance Abuse Prevention. (2003). Trouble in the medicine chest (1): Rx drug abuse growing. *Prevention Alert*, 6 (4).
- Center for Substance Abuse Treatment. (2000). *Substance abuse in brief: Successful treatment for adolescents: Multiple needs require diverse and special services* [Pamphlet]. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration.
- Center for Substance Abuse Treatment. (2001). *Benefits of residential substance abuse treatment for pregnant and parenting women: Highlights from a study of 50 demonstration programs of the Center for Substance Abuse Treatment*. [On-line]. Retrieved February 11, 2004 from the World Wide Web: <http://www.samhsa.gov>.

- Center on Alcohol Marketing and Youth. (2002). *Television: Alcohol's vast adland*. Washington, DC: Georgetown University, Center on Alcohol Marketing and Youth.
- Center on Alcohol Marketing and Youth. (2003). *Alcohol advertising on sports television 2001 and 2002*. [On-line]. Retrieved June 1, 2004 from the World Wide Web: <http://camy.org> .
- Center on Alcohol Marketing and Youth. (2003). *Marketing gallery: Bacardi Rum*. [On-line]. Retrieved March 22, 2004 from the World Wide Web: <http://camy.org>.
- Center on Alcohol Marketing and Youth. (2004). *Summary: Youth exposure to alcohol advertising*. [On-line]. Retrieved May 18, 2004 from the World Wide Web: <http://camy.org>.
- Centers for Disease Control and Prevention, Grunbaum, J. A., Kann, L., Kinchen, S. A., Williams, B., Ross, J. G., et al. (2002). Youth risk behavior surveillance: United States, 2001. *Morbidity and Mortality Weekly Report: Surveillance Summaries*, 51(SS-4).
- Centers for Disease Control and Prevention, Grunbaum, J. A., Kann, L., Kinchen, S. A., Williams, B., Ross, J. G., et al. (2004). Youth risk behavior surveillance: United States, 2003. *Morbidity and Mortality Weekly Report: Surveillance Summaries*, 53(SS-2).
- Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. (2002). *Smoking prevalence among U.S. adults*. [On-line]. Retrieved April 12, 2004 from the World Wide Web: <http://www.cdc.gov/tobacco>.
- Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. (2003). *What is needed to reduce smoking among women [Fact sheet]*. [On-line]. Retrieved June 7, 2004 from the World Wide Web: <http://www.cdc.gov> .
- Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. (2004). *Tobacco industry marketing: Fact sheet*. [On-line]. Retrieved May 18, 2004 from the World Wide Web: <http://www.cdc.gov/>.
- Centers for Disease Control and Prevention, National Center for Environmental Health. (2003). *Second national report on human exposure to environmental chemicals*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Environmental Health.
- Centers for Disease Control and Prevention, National Center for Health Statistics. (2001). *Healthy people 2000 final review: National health promotion and disease prevention objectives* (DHHS Pub. No. 01-0256). Hyattsville, MD: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Health Statistics.
- Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. (2003). *Falls and hip fractures among older adults*. [On-line]. Retrieved October 30, 2003 from the World Wide Web: <http://www.cdc.gov/ncipc>.
- Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. (2004). *Water-related injuries*. [On-line]. Retrieved February 12, 2004 from the World Wide Web: <http://www.cdc.gov/ncipc/>.

- Centers for Disease Control and Prevention, Office of Smoking and Health. (1999). Achievements in public health, 1900-1999: Tobacco use, United States, 1900-1999. *Morbidity and Mortality Weekly Report*, 48 (43), 986-993.
- Centers for Disease Control and Prevention. (1993). Cigarette smoking-attributable mortality and years of potential life lost: United States, 1990. *Morbidity and Mortality Weekly Report*, 42(33), 645-649.
- Centers for Disease Control and Prevention. (1996). Projected smoking-related deaths among youth: United States. *Morbidity and Mortality Weekly Report*, 45(44), 971-974.
- Centers for Disease Control and Prevention. (1997). Alcohol consumption among pregnant and childbearing-aged women: United States, 1991 and 1995. *Morbidity and Mortality Weekly Report*, 46(16), 346-350.
- Centers for Disease Control and Prevention. (1997). *Smoking and pregnancy [Fact sheet]*. Atlanta, GA: Centers for Disease Control and Prevention, Office of Smoking and Health, Division of Media Relations.
- Centers for Disease Control and Prevention. (1998). U.S. HIV and AIDS cases reported through June, 1998. *HIV/AIDS Surveillance Report*, 10(1).
- Centers for Disease Control and Prevention. (2000). Declines in lung cancer rates: California, 1988-1997. *Morbidity and Mortality Weekly Report*, 49(47), 1066-1069.
- Centers for Disease Control and Prevention. (2000). National and state-specific pregnancy rates among adolescents: United States, 1995-1997. *Morbidity and Mortality Weekly Report*, 49(27), 605-611.
- Centers for Disease Control and Prevention. (2001). Revised recommendations for HIV screening of pregnant women: Perinatal counseling and guidelines consultation. *Morbidity and Mortality Weekly Report: Recommendations and Reports*, 50(RR19), 59-86.
- Centers for Disease Control and Prevention. (2002). Alcohol use among women of childbearing age: United States, 1991-1999. *Morbidity and Mortality Weekly Report*, 51(13), 273-276.
- Centers for Disease Control and Prevention. (2002). Annual smoking-attributable mortality, years of potential life lost, and economic costs: United States 1995-1999. *Morbidity and Mortality Weekly Report*, 51(14), 300-303.
- Centers for Disease Control and Prevention. (2002). Cigarette smoking among adults: United States, 2000. *Morbidity and Mortality Weekly Report*, 51(29), 642-645.
- Centers for Disease Control and Prevention. (2002). *Fetal alcohol syndrome: Frequently asked questions*. [On-line]. Retrieved September 30, 2002 from the World Wide Web: <http://www.cdc.gov>.
- Centers for Disease Control and Prevention. (2002). Involvement by young drivers in fatal alcohol-related motor-vehicle crashes: United States, 1982-2001. *Morbidity and Mortality Weekly Report*, 51(48), 1089-1091.

- Centers for Disease Control and Prevention. (2004). Cigarette smoking among adults: United States, 2002. *Morbidity and Mortality Weekly Report*, 53(20), 427-430.
- Chaloupka, F. J., & Wechsler, H. (1996). Binge drinking in college: The impact of price, availability, and alcohol control policies. *Contemporary Economic Policy*, 14(4), 112-124.
- Chapman, K. R., Tashkin, D. P., & Pye, D. J. (2001). Gender bias in the diagnosis of COPD. *Chest*, 119(6), 1691-1695.
- Chassin, L., Presson, C. C., Montello, D., McGrew, J., & Sherman, S. J. (1986). Changes in peer and parent influence during adolescence: Longitudinal versus cross-sectional perspectives on smoking initiation. *Developmental Psychology*, 22(3), 327-334.
- Chavkin, W. (2001). Cocaine and pregnancy: Time to look at the evidence. *JAMA*, 285(12), 1626-1628.
- Chen, W. Y., Colditz, G. A., Rosner, B., Hankinson, S. E., Hunter, D. J., Manson, J. E., et al. (2002). Use of postmenopausal hormones, alcohol, and risk for invasive breast cancer. *Annals of Internal Medicine*, 137(10), 798-804.
- Chicago Tribune Wires. (1990, July 3). FDA widens aspirin warning labels for pregnant women. *Chicago Tribune*, Pg. 4.
- Chilcoat, H. D., Dishion, T. J., & Anthony, J. C. (1995). Parent monitoring and the incidence of drug sampling in urban elementary school children. *American Journal of Epidemiology*, 141(1), 25-31.
- Chiriboga, C. A. (2003). Fetal alcohol and drug effects. *Neurologist*, 9(6), 267-279.
- Chung, K. C., Kowalski, C., Kim, H. M., & Buchman, S. R. (2000). Maternal cigarette smoking during pregnancy and the risk of having a child with cleft lip/palate. *Plastic and Reconstructive Surgery*, 105(2), 485-491.
- Chung, P. J., Garfield, C. F., Rathouz, P. J., & Lauderdale, D. (2002). Youth targeting by tobacco manufacturers since the master settlement agreement. *Health Affairs*, 21(2), 254-263.
- Cicchetti, D., & Rogosch, F. A. (1999). Psychopathology as risk for adolescent substance use disorders: A developmental psychopathology perspective. *Journal of Clinical Child Psychology*, 28(3), 355-365.
- CigarWoman.com. (1998). *A look at women and cigars: From the 19th century to the 1990's*. [On-line]. Retrieved January 3, 2002 from the World Wide Web: <http://www.cigarwoman.com>.
- Clark, D. (2003). *Substance use and misuse: Some historical perspectives*. [On-line]. Retrieved November 5, 2004 from the World Wide Web: <http://www.dcresearch.net>.
- Clark, H. W. (2001). Residential substance abuse treatment for pregnant and postpartum women and their children: Treatment and policy implications. *Child Welfare*, 80(2), 179-198.

- Clayton, S. (1991). Gender differences in psychosocial determinants of adolescent smoking. *Journal of School Health, 61*(3), 115-120.
- Coffin, P. O., Galea, S., Ahern, J., Leon, A. C., Vlahov, D., & Tardiff, K. (2003). Opiates, cocaine and alcohol combinations in accidental drug overdose deaths in New York City, 1990-98. *Addiction, 98*(6), 739-747.
- Cohen, E., & Navaline, H. M. D. (1994). High-risk behaviors for HIV: A comparison between crack-abusing and opioid-abusing African-American women. *Journal of Psychoactive Drugs, 26*(2), 233-241.
- Collaborative Group on Hormonal Factors in Breast Cancer. (2002). Alcohol, tobacco and breast cancer: Collaborative reanalysis of individual data from 53 epidemiological studies, including 58,515 women with breast cancer and 95,067 women without the disease. *British Journal of Cancer, 87*(11), 1234-1245.
- Collins, J. J., & Messerschmidt, P. M. (1993). Epidemiology of alcohol-related violence. *Alcohol Health and Research World, 17*(2), 93-100.
- Comfort, M., & Kaltenbach, K. A. (2000). Predictors of treatment outcomes for substance-abusing women: A retrospective study. *Substance Abuse, 21*(1), 33-45.
- Comfort, M., Sockloff, A., Loverro, J., & Kaltenbach, K. (2003). Multiple predictors of substance-abusing women's treatment and life outcomes: A prospective longitudinal study. *Addictive Behaviors, 28*(2), 199-224.
- Commonwealth Fund. (1997). *Facts on risky behaviors: The Commonwealth Fund survey of the health of adolescent girls [Fact sheet]*. [On-line]. Retrieved March 8, 2004 from the World Wide Web: <http://www.cmwf.org>.
- Community Outreach Health Information System (COHIS). (2002). *COHIS: The ashtray: Smoking and tobacco abuse: The history of tobacco*. [On-line]. Retrieved December 28, 2001 from the World Wide Web: <http://www.bu.edu>.
- Conrad, K. M., Flay, B. R., & Hill, D. (1992). Why children start smoking cigarettes: Predictors of onset. *British Journal of Addiction, 87*(12), 1711-1724.
- Conway, K. P., Kane, R. J., Ball, S. A., Poling, J. C., & Rounsaville, B. J. (2003). Personality, substance of choice, and polysubstance involvement among substance dependent patients. *Drug and Alcohol Dependence, 71*(1), 65-75.
- Copeland, J., & Hall, W. (1992). A comparison of women seeking drug and alcohol treatment in a specialist women's and two traditional mixed-sex treatment services. *British Journal of Addiction, 87*(9), 1293-1302, 1361, 1365.
- Courtwright, D. T. (2001). *Dark paradise: A history of opiate addiction in America*. Cambridge, MA: Harvard University Press.
- Cozens, C. (2003). *Laddish beer ads accused of alienating women*. [On-line]. Retrieved February 12, 2004 from the World Wide Web: <http://media.guardian.co.uk>.

- Crisp, A., Sedgwick, P., Halek, C., Joughin, N., & Humphrey, H. (1999). Why may teenage girls persist in smoking? *Journal of Adolescence*, 22(5), 657-672.
- Crum, R. M., Lillie-Blanton, M., & Anthony, J. C. (1996). Neighborhood environment and opportunity to use cocaine and other drugs in late childhood and early adolescence. *Drug and Alcohol Dependence*, 43(3), 155-161.
- Cullen, K. W., Koehly, L. A., Anderson, C., Baranowski, T., Prokhorov, A., Basen-Engquist, K., et al. (1999). Gender differences in chronic disease risk behaviors through the transition out of high school. *American Journal of Preventive Medicine*, 17(1), 1-7.
- Cummings, S. R., Nevitt, M. C., Browner, W. S., Stone, K., Fox, K. M., Ensrud, K. E., et al. (1995). Risk factors for hip fracture in white women. *New England Journal of Medicine*, 332(12), 767-773.
- Curley, B. (2003). *Bowing to advocates, Dior agrees to change "addict" marketing campaign*. [On-line]. Retrieved February 13, 2004 from the World Wide Web: <http://www.jointogether.org>.
- Curran, G. M., Stoltenberg, S. F., Hill, E. M., Mudd, S. A., Blow, F. C., & Zucker, R. A. (1999). Gender differences in the relationships among SES, family history of alcohol disorders and alcohol dependence. *Journal of Studies on Alcohol*, 60(6), 825-832.
- Cusick, L., Martin, A., & Mary, T. (2003). *Vulnerability and involvement in drug use and sex work: Home office research study 286*. London: Home Office Research Development and Statistics Directorate.
- Dailard, C., & Nash, E. (2000). State responses to substance abuse among pregnant women. *Guttmacher Report on Public Policy*, 3(6), 3-6.
- Danello, M. A. (1987). Women's health: A course of action: Health concerns of older women. *Public Health Reports, Suppl.*, 14-18.
- Dawes, M. A., Antelman, S. M., Vanyukov, M. M., Giancola, P., Tarter, R. E., Susman, E. J., et al. (2000). Developmental sources of variation in liability to adolescent substance use disorders. *Drug and Alcohol Dependence*, 61(1), 3-14.
- Day, N. L., & Richardson, G. A. (2004). An analysis of the effects of prenatal alcohol exposure on growth: A teratologic model. *American Journal of Medical Genetics Part C: Seminars in Medical Genetics*, 127C(1), 28-34.
- Day, N. L., Leech, S. L., Richardson, G. A., Cornelius, M. D., Robles, N., & Larkby, C. (2002). Prenatal alcohol exposure predicts continued deficits in offspring size at 14 years of age. *Alcoholism: Clinical and Experimental Research*, 26(10), 1584-1591.
- Day, N. L., Zuo, Y., Richardson, G. A., Goldschmidt, L., Larkby, C. A., & Cornelius, M. D. (1999). Prenatal alcohol use and offspring size at 10 years of age. *Alcoholism: Clinical and Experimental Research*, 23(5), 863-869.
- Dees, W. L., Hiney, J. K., & Srivastava, V. (1998). Alcohol's effects on female puberty. *Alcohol Health and Research World*, 22(3), 165-169.

- DeNavas, C., & U.S. Bureau of the Census. (1995). *Income, poverty, and valuation of noncash benefits, 1993* (GPO Item No. 0142-C-07). Washington, DC: U.S. Government Printing Office.
- Deren, S. (1986). Children of substance abusers: A review of the literature. *Journal of Substance Abuse Treatment, 3*(2), 77-94.
- DeWit, D. J., Adlaf, E. M., Offord, D. R., & Ogborne, A. C. (2000). Age at first alcohol use: A risk factor for the development of alcohol disorders. *American Journal of Psychiatry, 157*(5), 745-750.
- Dick, D. M., Rose, R. J., Viken, R. J., & Kaprio, J. (2000). Pubertal timing and substance use: Associations between and within families across late adolescence. *Developmental Psychology, 36*(2), 180-189.
- DiClemente, C. C., Dolan-Mullen, P., & Windsor, R. A. (2000). The process of pregnancy smoking cessation: Implications for interventions. *Tobacco Control, 9*(Suppl. 3), iii16-iii21.
- Diem, E. C., McKay, L. C., & Jamieson, J. L. (1994). Female adolescent alcohol, cigarette, and marijuana use: Similarities and differences in patterns of use. *International Journal of the Addictions, 29*(8), 987-997.
- DiFranza, J. R., Savageau, J. A., & Aisquith, B. F. (1996). Youth access to tobacco: The effects of age, gender, vending machine locks, and "It's the Law" programs. *American Journal of Public Health, 86*(2), 221-224.
- DiFranza, J. R., Savageau, J. A., Rigotti, N. A. F. K., Ockene, J. K., McNeill, A. D., Coleman, M., et al. (2002). Development of symptoms of tobacco dependence in youths: 30 month follow up data from the DANDY study. *Tobacco Control, 11*(3), 228-235.
- Disney, E. R., Elkins, I. J., McGue, M., & Iacono, W. G. (1999). Effects of ADHD, conduct disorder, and gender on substance use and abuse in adolescence. *American Journal of Psychiatry, 156*(10), 1515-1521.
- Dobson, R. (2002). Risk of breast cancer increases with numbers of years' smoking. *British Medical Journal, 325*(7359), 298.
- Donovan, J. E. (2002). Gender differences in alcohol involvement in children and adolescents: A review of the literature. In J. M. Howard, S. E. Martin, P. D. Mail, M. E. Hilton, & E. D. Taylor (Eds.), *Women and alcohol: Issues for prevention research: NIAAA research monograph no. 32* (NIH Pub. No. 96-3817, pp. 133-162). Bethesda, MD: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute on Alcohol Abuse and Alcoholism.
- Dooley, D., & Prause, J. (1998). Underemployment and alcohol misuse in the National Longitudinal Survey of Youth. *Journal of Studies on Alcohol, 59*(6), 669-680.
- Dresler, C. M. (1998). The lung cancer epidemic in women: Why female smokers are at much greater risk than men. *Women's Health in Primary Care, 1*(1), 85-92.

- Dufour, M. C., Archer, L., & Gordis, E. (1992). Alcohol and the elderly. *Clinics in Geriatric Medicine*, 8(1), 127-141.
- Dunner, D. L., Zisook, S., Billow, A. A., Batey, S. R., Johnston, A., & Ascher, J. A. (1998). A prospective safety surveillance study for bupropion sustained-release in the treatment of depression. *Journal of Clinical Psychiatry*, 59(7), 366-373.
- Dunning, J. (1977, June 1). Women are warned to give up drinking during pregnancies. *New York Times*, Pg. 22.
- Dupree, L. W., Broskowski, H., & Schonfeld, L. (1984). The gerontology alcohol project: A behavioral treatment program for elderly alcohol abusers. *Gerontologist*, 24(5), 510-516.
- Durkin, K. (1995). *Developmental social psychology: From infancy to old age*. Cambridge, MA: Blackwell.
- Dweck, C. S., & Licht, B. G. (1980). Learned helplessness and intellectual achievement. In J. Garber & M. E. P. Seligman (Eds.), *Human helplessness: Theory and applications* (pp. 197-221). New York: Academic Press.
- Dwyer, T., Ponsonby, A. L., & Couper, D. (1999). Tobacco smoke exposure at one month of age and subsequent risk of SIDS: A prospective study. *American Journal of Epidemiology*, 149(7), 593-602.
- Ebrahim, S. H., & Gfroerer, J. (2003). Pregnancy-related substance use in the United States during 1996-1998. *Obstetrics and Gynecology*, 101(2), 374-379.
- Ebrahim, S. H., Floyd, R. L., Merritt, R. K., Decoufle, P., & Holtzman, D. (2000). Trends in pregnancy-related smoking rates in the United States, 1987-1996. *JAMA*, 283(3), 361-366.
- Eckenwiler, L. (2004). Why not retribution? The particularized imagination and justice for pregnant addicts. *Journal of Law, Medicine and Ethics*, 32(1), 89-99.
- Edlin, B. R., Irwin, K. L., Ludwig, D. D., & McCoy, H. V. (1992). High-risk sex behavior among young street-recruited crack cocaine smokers in three American cities: An interim report. *Journal of Psychoactive Drugs*, 24(4), 363-371.
- Edwards, G. (2003). *Alcohol: The world's favorite drug*. New York: Thomas Dunne Books.
- El-Bassel, N., Gilbert, L., Schilling, R. F., Ivanoff, A., & Borne, D. (1996). Correlates of crack abuse among drug-using incarcerated women: Psychological trauma, social support, and coping behavior. *American Journal of Alcohol Abuse*, 22(1), 41-56.
- Ellen, J. M., Franzgrote, M., Irwin, C. E., & Millstein, S. G. (1998). Primary care physicians' screening of adolescent patients: A survey of California physicians. *Journal of Adolescent Health*, 22(6), 433-438.
- Elliott, S. (1993, September 13). The media business: Advertising: In a whiskey patch to Generation X members, Leo Burnett tries to prove it is not their fathers' agency. *New York Times*, Pg. D7.

- Ellis, B. J., McFadyen-Ketchum, S., Dodge, K. A., Pettit, G. S., & Bates, J. E. (1999). Quality of early family relationships and individual differences in the timing of pubertal maturation in girls: A longitudinal test of an evolutionary model. *Journal of Personality and Social Psychology, 77*(2), 387-401.
- Ellis, R. A., O'Hara, M., & Sowers, K. M. (2000). Profile-based intervention: Developing gender-sensitive treatment for adolescent substance abusers. *Research on Social Work Practice, 10*(3), 327-347.
- Ely, M., Hardy, R., Longford, N. T., & Wadsworth, M. E. J. (1999). Gender differences in the relationship between alcohol consumption and drink problems are largely accounted for by body water. *Alcohol and Alcoholism, 34*(6), 894-902.
- Emanuele, N., & Emanuele, M. A. (1997). The endocrine system: Alcohol alters critical hormonal balance. *Alcohol Health and Research World, 21*(1), 53-64.
- Eng, E. T., Ye, J., Williams, D., Phung, S., Moore, R. E., Young, M. K., et al. (2003). Suppression of estrogen biosynthesis by procyanidin dimers in red wine and grape seed. *Cancer Research, 63*(23), 8516-8522.
- English, P. B., Eskenazi, B., & Christianson, R. E. (1994). Black-white differences in serum cotinine levels among pregnant women and subsequent effects on infant birthweight. *American Journal of Public Health, 84*(9), 1439-1443.
- Engstrom, F. (1997). Psychotropic drugs: Modern medicine's alternative to purgatives, straitjackets, and asylums. *Postgraduate Medicine, 101*(3), 198-200.
- Ensrud, K. E., Nevitt, M. C., Yunis, C., Cauley, J. A., Seeley, D. G., Fox, K. M., et al. (1994). Correlates of impaired function in older women. *Journal of the American Geriatrics Society, 42*(5), 481-489.
- Ericksen, K. P., & Trocki, K. F. (1994). Sex, alcohol and sexually transmitted diseases: A national survey. *Family Planning Perspectives, 26*(6), 257-263.
- Erickson, P. G., & Watson, V. A. (1990). Women, illicit drugs and crime. In L. T. Kozlowski, H. M. Annis, H. D. Cappell, F. B. Glaser, M. S. Goodstadt, Y. Israel, H. Kalant, E. M. Sellers, E. R. Vingilis, & H. M. Annis (Eds.), *Research advances in alcohol and drug problems, volume 10* (pp. 251-272). New York: Plenum Press.
- Erikson, E. H. (1963). *Childhood and society*. New York: W. W. Norton.
- Ernster, V. L. (1996). Female lung cancer. *Annual Review of Public Health, 17*, 97-114.
- Ershoff, D. H., Solomon, L. J., & Dolan-Mullen, P. (2000). Predictors of intentions to stop smoking early in prenatal care. *Tobacco Control, 9*(Suppl. 3), iii41-iii45.
- Escamilla, G., Craddock, A. L., & Kawachi, I. (2000). Women and smoking in Hollywood movies: A content analysis. *American Journal of Public Health, 90*(3), 412-414.
- Everett, S. A., Schnuth, R. L., & Tribble, J. L. (1998). Tobacco and alcohol use in top-grossing American films. *Journal of Community Health, 23*(4), 317-324.

- Fagan, J. (1994). Women and drugs revisited: Female participation in the cocaine economy. *Journal of Drug Issues, 24*(2), 179-225.
- Falco, M. (1991). Drug abuse: A national policy perspective. *Bulletin of New York Academy of Medicine, 67*(3), 196-206.
- Famy, C., Streissguth, A. P., & Unis, A. S. (1998). Mental illness in adults with fetal alcohol syndrome or fetal alcohol effects. *American Journal of Psychiatry, 155*(4), 552-554.
- Farkas, A. J., Gilpin, E. A., Distefan, J. M., & Pierce, J. P. (1999). The effects of household and workplace smoking restrictions on quitting behaviours. *Tobacco Control, 8*(3), 261-265.
- Farrell, A. D., & White, K. S. (1998). Peer influences and drug use among urban adolescents: Family structure and parent-adolescent relationship as protective factors. *Journal of Counseling and Clinical Psychology, 66*(2), 248-258.
- Farrell, E. (2005, March 18). The battle for hearts and lung. *Chronicle of Higher Education, Pg. A34-A36*.
- Farrelly, M. C., Heaton, C. G., Davis, K. C., Messeri, P., Hersey, J. C., & Haviland, M. L. (2002). Getting to the truth: Evaluating national tobacco countermarketing campaigns. *American Journal of Public Health, 92*(6), 901-907.
- Federal Trade Commission. (1999). *Cigar sales and advertising and promotional expenditures for calendar years 1996 and 1997*. Washington, DC: U.S. Federal Trade Commission.
- Feigelman, W., Gorman, B. S., & Lee, J. A. (1998). Binge drinkers, illicit drug users and polydrug users: An epidemiological study of American collegians. *Journal of Alcohol and Drug Education, 44*(1), 47-69.
- Felitti, V. (2002). The relation between adverse childhood experience and adult health: Turning gold into lead. *Permanente Journal, 6*(1), 44-47.
- Felitti, V. J., Anda, R. F., Nordenberg, D., Williamson, D. F., Spitz, A. M., Edwards, V., et al. (1998). Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults: The Adverse Childhood Experiences (ACE) Study. *American Journal of Preventive Medicine, 14*(4), 245-258.
- Felson, D. T., Kiel, D. P., Anderson, J. J., & Kannel, W. B. (1988). Alcohol consumption and hip fractures: The Framingham Study. *American Journal of Epidemiology, 128*(5), 1102-1110.
- Finlayson, R. E., Hurt, R. D., Davis, L. J., & Morse, R. M. (1988). Alcoholism in elderly persons: A study of the psychiatric and psychosocial features of 216 inpatients. *Mayo Clinic Proceedings, 63*(8), 761-768.
- Fiore, M. C., Bailey, W. C., Cohen, S. J., Dorfman, S. F., Goldstein, M. G., Gritz, E. R., et al. (2000). *Treating tobacco use and dependence: Clinical practice guideline* (GPO Item No. 0491-B-17). Washington, DC: U.S. Government Printing Office.

- Fiorentine, R., Anglin, M. D., Gil-Rivas, V., & Taylor, E. (1997). Drug treatment: Explaining the gender paradox. *Substance Use and Misuse*, 32(6), 653-678.
- Flanigan, B. J., Potrykus, P. A., & Marti, D. (1988). Alcohol and marijuana use among female adolescent incest victims. *Alcoholism Treatment Quarterly*, 5(1-2), 231-248.
- Fleming, M. F., Barry, K. L., Manwell, L. B., Johnson, K., & London, R. (1997). Brief physician advice for problem alcohol drinkers: A randomized controlled trial in community-based primary care practices. *JAMA*, 277(13), 1039-1045.
- Fletcher, A. C., & Jefferies, B. C. (1999). Parental mediators of associations between perceived authoritative parenting and early adolescent substance use. *Journal of Early Adolescence*, 19(4), 465-487.
- Floyd, R. L., Decoufle, P., & Hungerford, D. W. (1999). Alcohol use prior to pregnancy recognition. *American Journal of Preventive Medicine*, 17(2), 101-107.
- Flynn, H. A., Marcus, S. A., Barry, K. L., & Blow, F. C. (2003). Rates and correlates of alcohol use among pregnant women in obstetrics clinics. *Alcoholism: Clinical and Experimental Research*, 27(1), 81-87.
- Fontham, E. T. H., Correa, P., Reynolds, P., Wu-Williams, A., Buffler, P. A., Greenberg, R. S., et al. (1994). Environmental tobacco smoke and lung cancer in nonsmoking women: A multicenter study. *JAMA*, 271(22), 1752-1759.
- Ford, K., & Norris, A. (1994). Urban minority youth: Alcohol and marijuana use and exposure to unprotected intercourse. *Journal of Acquired Immune Deficiency Syndromes*, 7(4), 389-396.
- Forster, J. L., McGovern, P. G., Wagenaar, A. C., Wolfson, M., Perry, C. L., & Anstine, P. S. (1994). The ability of young people to purchase alcohol without age identification in northeastern Minnesota, USA. *Addiction*, 89(6), 699-705.
- Forthun, L. F., Bell, N. J., Peek, C. W., & Sun, S.-W. (1999). Religiosity, sensation seeking, and alcohol/drug use in denominational and gender contexts. *Journal of Drug Issues*, 29(1), 75-90.
- Foster, S. E., Vaughan, R. D., Foster, W. H., & Califano, J. A. (2003). Alcohol consumption and expenditures for underage drinking and adult excessive drinking. *JAMA*, 289(9), 989-995.
- Franceschi, S., Schinella, D., Bidoli, E., Dal Maso, L., La Vecchia, C., Parazzini, F., et al. (1996). The influence of body size, smoking and diet on bone density in pre- and postmenopausal women. *Epidemiology*, 7(4), 411-414.
- French, S. A., & Perry, C. L. (1996). Smoking among adolescent girls: Prevalence and etiology. *Journal of the American Medical Women's Association*, 51(1-2), 25-28.
- French, S. A., Perry, C. L., Leon, G. R., & Fulkerson, J. A. (1994). Weight concerns, dieting behavior, and smoking initiation among adolescents: A prospective study. *American Journal of Public Health*, 84 (11), 1818-1820.

- Frezza, M., di Padova, C., Pozzato, G., Terpin, M., Baraona, E., & Lieber, C. S. (1990). High blood alcohol levels in women: The role of decreased gastric alcohol dehydrogenase activity and first-pass metabolism. *New England Journal of Medicine*, 322(2), 95-99.
- Fried, L. P., Kronmal, R. A., Newman, A. B., Bild, D. E., Mittelmark, M. B., Polak, J. F., et al. (1998). Risk factors for 5-year mortality in older adults: The cardiovascular health study. *JAMA*, 279(8), 585-592.
- Friedman, A. S., Granick, S., Bransfield, S., Kreisher, C., & Khalsa, J. (1995). Gender differences in early life risk factors for substance use/abuse: A study of an African-American sample. *American Journal of Drug and Alcohol Abuse*, 21(4), 511-531.
- Frieze, I. H., & Schafer, P. C. (1984). Alcohol use and marital violence: Female and male differences in reactions to alcohol. In S. C. Wilsnack & L. J. Beckman (Eds.), *Alcohol problems in women: Antecedents, consequences and intervention* (pp. 260-279). New York: Guilford.
- Frye, M. A., Altshuler, L. L., McElroy, S. L., Suppes, T., Keck, P. E., Denicoff, K., et al. (2003). Gender differences in prevalence, risk, and clinical correlates of alcoholism comorbidity in bipolar disorder. *American Journal of Psychiatry*, 160(5), 883-889.
- Fuchs, C. S., Stampfer, M. J., Colditz, G. A., Giovannucci, E. L., Manson, J. E., Kawachi, I., et al. (1995). Alcohol consumption and mortality among women. *New England Journal of Medicine*, 332(19), 1245-1250.
- Fullilove, M. T., Fullilove, R. E., Smith, M., Winkler, K., Michael, C., Panzer, P. G., et al. (1993). Violence, trauma, and post-traumatic stress disorder among women drug users. *Journal of Traumatic Stress*, 6(4), 533-543.
- Galaif, E. R., Stein, J. A., Newcomb, M. D., & Bernstein, D. P. (2001). Gender differences in the prediction of problem alcohol use in adulthood: Exploring the influence of family factors and childhood maltreatment. *Journal of Studies on Alcohol*, 62(4), 486-493.
- Galbraith, S. (1991). Women and legal drugs. In P. Roth (Ed.), *Alcohol and drugs are women's issues* (pp. 150-154). Metuchen, NJ: Women's Action Alliance and Scarecrow Press.
- Gallup Organization. (2004). *Percent who drink beverage alcohol, by gender, 1939-2003*. [Online]. Retrieved November 9, 2004 from the World Wide Web: <http://www.niaaa.nih.gov>.
- Gambert, S. R. (1992). Substance abuse in the elderly. In J. Lowinson, P. Ruiz, R. B. Millman, & J. G. Langrod (Eds.), *Substance abuse: A comprehensive textbook* (pp. 843-851). Baltimore, MD: Williams and Wilkins.
- Gardner, P. and Hudson, B. L. (1996). Advance report of final mortality statistics, 1993. *Monthly Vital Statistics Report*, 44(7).
- Garnefski, N., & Arends, E. (1998). Sexual abuse and adolescent maladjustment: Differences between male and female victims. *Journal of Adolescence*, 21(1), 99-107.

- Gauvin, F., Bailey, B., & Bratton, S. L. (2001). Hospitalizations for pediatric intoxication in Washington State, 1987-1997. *Archives of Pediatric and Adolescent Medicine*, 155(10), 1105-1110.
- Gavaler, J. S. (1995). Alcohol effects on hormone levels in normal postmenopausal women and in postmenopausal women with alcohol-induced cirrhosis. In M. Galanter (Ed.), *Alcoholism and women: Recent developments in alcoholism, volume 12* (pp. 199-208). New York: Plenum Press.
- Gavaler, J. S. (1998). Alcoholic beverages as a source of estrogens. *Alcohol Health and Research World*, 22(3), 220-227.
- Gear, R. W., Miaskowski, C., Gordon, N. C., Paul, S. M., Heller, P. H., & Levine, J. D. (1996). Kappa-opioids produce significantly greater analgesia in women than in men. *Nature Medicine*, 2(11), 1248-1250.
- German, P. S., & Burton, L. C. (1989). Clinicians, the elderly and drugs. *Journal of Drug Issues*, 19(2), 221-243.
- Gfroerer, J. C., Wu, L.-T., & Penne, M. A. (2002). *Initiation of marijuana use: Trends, patterns, and implications* (Analytic Series: A-17, DHHS Pub. No. SMA 02-3711). Rockville, MD: Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
- Gfroerer, J., Penne, M., Pemberton, M., & Folsom, R. (2003). Substance abuse treatment need among older adults in 2020: The impact of the aging baby-boom cohort. *Drug and Alcohol Dependence*, 69(2), 127-135.
- Giancola, P. R., & Mezzich, A. C. (2000). Neuropsychological deficits in female adolescents with a substance use disorder: Better accounted for by conduct disorder? *Journal of Studies on Alcohol*, 61(6), 809-817.
- Gillespie, M. (1999). *Majority of smokers want to quit, consider themselves addicted*. [On-line]. Retrieved January 29, 2002 from the World Wide Web: <http://www.gallup.com/>.
- Gilliland, F. D., Berhane, K., McConnell, R., Gauderman, W. J., Vora, H., Rappaport, E. B., et al. (2000). Maternal smoking during pregnancy, environmental tobacco smoke exposure and childhood lung function. *Thorax*, 55(4), 271-276.
- Giovino, G. A., Henningfield, J. E., Tomar, S. L., Escobedo, L. G., & Slade, J. (1995). Epidemiology of tobacco use and dependence. *Epidemiological Reviews*, 17(1), 48-65.
- Givhan, R. (2002, October 25). Christian Dior's addict: "Admit" a problem? *Washington Post*, Pg. C02.
- Glantz, S. A. (2001). Smoking in teenagers and watching films showing smoking: Hollywood needs to stop promoting smoking worldwide [Editorial]. *British Medical Journal*, 323(7326), 1378-1379.
- Glascoff, M. A., & Felts, W. M. (1994). The awareness level of pregnant women of alcoholic beverage health warning labels. *Wellness Perspectives*, 10(2), 24.

- Glass, T. A., Prigerson, H., Kasl, S. V., & Mendes de Leon, C. F. (1995). The effects of negative life events on alcohol consumption among older men and women. *Journal of Gerontology, 50B*(4), 205-216.
- Glassman, A. H., Helzer, J. E., Covey, L. S., Cottler, L. B., Stetner, F., Tipp, J. E., et al. (1990). Smoking, smoking cessation and major depression. *JAMA, 264*(12), 1546-1549.
- Gold, D. R., Wang, X., Wypij, D., Speizer, F. E., Ware, J. H., & Dockery, D. W. (1996). Effects of cigarette smoking on lung function in adolescent boys and girls. *New England Journal of Medicine, 335*(13), 931-937.
- Goldstein, A. O., Sobel, R. A., & Newman, G. R. (1999). Tobacco and alcohol use in G-rated children's animated films. *JAMA, 281*(12), 1131-1136.
- Goldstein, P. J. (1979). *Prostitution and drugs*. Lexington, MA: Lexington Books.
- Goldstrom, I. D., Burns, B. J., Kessler, L. G., Feuerberg, M. A., Larson, D. B., Miller, N. E., et al. (1987). Mental health services use by elderly adults in a primary care setting. *Journal of Gerontology, 42*(2), 147-153.
- Golombek, H., Marton, P., Stein, B., & Korenblum, M. (1986). A study of disturbed and non-disturbed adolescents: The Toronto Adolescent Longitudinal Study. *Canadian Journal of Psychiatry, 31*(6), 532-535.
- Gomberg, E. (1982). Alcohol use and problems among the elderly. In National Institute on Alcohol Abuse and Alcoholism (Ed.), *Special population issues: Alcohol and health monograph no. 4* (DHHS Pub. No. (ADM) 82-1193, pp. 263-290). Washington, DC: U.S. Government Printing Office.
- Gomberg, E. S. L. (1991). Women and alcohol: Psychosocial aspects. In D. J. Pittman & H. R. White (Eds.), *Society, culture and drinking patterns reexamined* (pp. 263-284). New Brunswick, NJ: Alcohol Research Documentation, Rutgers Center of Alcohol Studies.
- Gomberg, E. S. L. (1994). Risk factors for drinking over a woman's life span. *Alcohol Health and Research World, 18*(3), 220-227.
- Gomberg, E. S. L. (1995). Older women and alcohol: Use and abuse. In M. Galanter (Ed.), *Recent developments in alcoholism: Women and alcoholism: Volume 12* (pp. 61-79). New York: Plenum Press.
- Goode, E. (1999). *Drugs in American society* (5th ed.). Boston: McGraw-Hill College.
- Goodman, E., & Capitman, J. (2000). Depressive symptoms and cigarette smoking among teens. *Pediatrics, 106*(4), 748-755.
- Gordon, B. (1979). *I'm dancing as fast I can*. New York: Harper and Row.
- Grabbe, L., Demi, A., Camann, M. A., & Potter, L. (1997). The health status of elderly persons in the last year of life: A comparison of deaths by suicide, injury, and natural causes. *American Journal of Public Health, 87*(3), 434-437.

- Graham, K., Carver, V., & Brett, P. J. (1995). Alcohol and drug use by older women: Results of a national survey. *Canadian Journal on Aging, 14*(4), 769-791.
- Graham, K., Saunders, S. J., Flower, M. C., Timney, C. B., White-Campbell, M., & Pietropaolo, A. Z. (1995). *Addictions treatment for older adults: Evaluation of an innovative client-centered approach*. New York: Haworth Press.
- Granner, M. L., Black, D. R., & Abood, D. A. (2002). Levels of cigarette and alcohol use related to eating-disorder attitudes. *American Journal of Health Behavior, 26*(1), 43-55.
- Grant, B. F., & Dawson D.A. (1997). Age at onset of alcohol use and its association with DSM-IV alcohol abuse and dependence: Results from the National Longitudinal Alcohol Epidemiologic Survey. *Journal of Substance Abuse, 9*, 103-110.
- Green, B. H., Copeland, J. R. M., Dewey, M. E., Sharma, V., Saunders, P. A., Davidson, I. A., et al. (1992). Risk factors for depression in elderly people: A prospective study. *Acta Psychiatrica Scandinavica, 86*(3), 213-217.
- Greenberg, J. (1981, July 18). U.S. advises total abstinence from drinking for pregnant women. *New York Times*, Pg. 7.
- Greenblatt, D. J., Sellers, E. M., & Shader, R. I. (1982). Drug therapy in old age. *New England Journal of Medicine, 306*(18), 1081-1088.
- Greenblatt, J. C. (1999). *Patterns of alcohol use among adolescents and associations with emotional and behavioral problems: OAS working paper*. Rockville, MD: U. S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
- Greene, S. M. (1992). *Alcohol, tobacco campaigns frequently aim at women, children, minorities: Marketers target "vulnerable" consumers*. [On-line]. Retrieved June 11, 2002 from the World Wide Web: <http://www.drugs.indiana.edu>.
- Greenfield, S. F. (2002). Women and alcohol use disorders. *Harvard Review of Psychiatry, 10*(2), 76-85.
- Greenspan, R. (2003). *Surfing with seniors and boomers*. [On-line]. Retrieved March 5, 2004 from the World Wide Web: <http://www.clickz.com>.
- Griesler, P. C., & Kandel, D. B. (1998). The impact of maternal drinking during and after pregnancy on the drinking of adolescent offspring. *Journal of Studies on Alcohol, 59*(3), 292-304.
- Griffin, K. W., Botvin, G. J., Scheier, L. M., Diaz, T., & Miller, N. L. (2000). Parenting practices as predictors of substance use, delinquency, and aggression among urban minority youth: Moderating effects of family structure and gender. *Psychology of Addictive Behaviors, 14*(2), 174-184.
- Grodstein, F., Goldman, M. B., & Cramer, D. W. (1994). Infertility in women and moderate alcohol use. *American Journal of Public Health, 84*(9), 1429-1432.

- Gross, J., Stitzer, M. L., & Maldonado, J. (1989). Nicotine replacement: Effects of postcessation weight gain. *Journal of Consulting and Clinical Psychology*, 57(1), 87-92.
- Grossman, M., Sindelar, J. L., Mullahy, J., & Anderson, R. (1993). Policy watch: Alcohol and cigarette taxes. *Journal of Economic Perspectives*, 7(4), 211-222.
- Groth, A. N. (1978). The older rape victim and her assailant. *Journal of Geriatric Psychiatry*, 11(2), 203-215.
- Grover, P. L. (Ed.). (1999). *Preventing problems related to alcohol availability: Environmental approaches: Reference guide* (DHHS Pub. No. (SMA) 99-3298). Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Prevention, Division of State and Community Systems Development.
- Grube, J. W. (1997). Preventing sales of alcohol to minors: Results from a community trial. *Addiction*, 92(Suppl. 2), S251-S260.
- Grunbaum, J. A., Kann, L., Kinchen, S., Ross, J., Hawkins, J., Lowry, R., et al. (2004). Youth Risk Behavior Surveillance: United States, 2003. *Morbidity and Mortality Weekly Report: Surveillance Summaries*, 53(SS-2).
- Grunberg, N. E., & Klein, L. C. (1998). The relevance of stress and eating to the study of gender and drug use. In C. L. Wetherington & A. B. Roman (Eds.), *Drug addiction research and the health of women* (NIH Pub. No. 98-4290, pp. 173-186). Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- Guthrie, B. J., Rotheram, M. J., Genero, N., Amaro, H., Chesney-Lind, M., Flinchbaugh, L. J., et al. (2001). *A guide to understanding female adolescents' substance abuse: Gender and ethnic considerations for prevention and treatment policy* (DHHS Pub. No. (SMA) 00-3309). Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Prevention.
- Guthrie, B. J., Young, A. M., Boyd, C. J., & Kintner, E. K. (2001). Dealing with daily hassles: Smoking and African-American adolescent girls. *Journal of Adolescent Health*, 29(2), 109-115.
- Guthrie, B. J., Young, A. M., Williams, D. R., Boyd, C. J., & Kintner, E. K. (2002). African American girls' smoking habits and day-to-day experiences with racial discrimination. *Nursing Research*, 51(3), 183-190.
- Haber, J., Wattles, J., Crowley, M., Mandell, R., Joshipura, K., & Kent, R. L. (1993). Evidence for cigarette smoking as a major risk factor for periodontitis. *Journal of Periodontology*, 64(1), 16-23.
- Hagedorn, J., & Omar, H. (2002). Retrospective analysis of youth evaluated for suicide attempt or suicidal ideation in an emergency room setting. *International Journal of Adolescent Medicine and Health*, 14(1), 55-60.
- Hager, P. (1987, August 21). Law on posted alcohol warnings upheld. *Los Angeles Times*, Pg. 3.

- Hall, S. M., Tunstall, C. D., Vila, K. L., & Duffy, J. (1992). Weight gain prevention and smoking cessation: Cautionary findings. *American Journal of Public Health, 82*(6), 799-803.
- Hall, W., Madden, P., & Lynskey, M. (2002). The genetics of tobacco use: Methods, findings and policy implications. *Tobacco Control, 11*(2), 119-124.
- Haller, D. L., & Miles, D. R. (2003). Partner violence impacts the psychosocial and psychiatric status of pregnant, drug-dependent women. *Addictive Behaviors, 29*(9), 1029-1034.
- Haller, D. L., & Miles, D. R. (2003). Victimization and perpetration among perinatal substance abusers. *Journal of Interpersonal Violence, 18*(7), 760-780.
- Haller, D. L., Miles, D. R., & Dawson, K. S. (2003). Factors influencing treatment enrollment by pregnant substance abusers. *American Journal of Drug and Alcohol Abuse, 29*(1), 117-131.
- Hallfors, D., & Van Dorn, R. A. (2002). Strengthening the role of two key institutions in the prevention of adolescent substance abuse. *Journal of Adolescent Health, 30*(1), 17-28.
- Ham, R. J. (1992). Confusion, dementia and delirium. In R. J. Ham & P. D. Sloane (Eds.), *Primary care geriatrics: A case-based approach* (pp. 259-311). St. Louis, MS: Mosby Year Book.
- Hammond, R., Rowell, A., Campaign for Tobacco-free Kids, & Action on Smoking and Health. (2001). *Trust us: We're the tobacco industry*. [On-line]. Retrieved March 18, 2004 from the World Wide Web: <http://www.ash.org.uk>.
- Hampl, J. S., & Betts, N. M. (1999). Cigarette use during adolescence: Effects on nutritional status. *Nutrition Reviews, 57*(7), 215-221.
- Han, C., McGue, M. K., & Iacono, W. G. (1999). Lifetime tobacco, alcohol and other substance use in adolescent Minnesota twins: Univariate and multivariate behavioral genetic analyses. *Addiction, 94*(7), 981-993.
- Haney, M., Ward, A. S., Comer, S. D., Foltin, R. W., & Fischman, M. W. (1999). Abstinence symptoms following smoked marijuana in humans. *Psychopharmacology, 141*(4), 395-404.
- Hankin, J., McCaul, M. E., & Heussner, J. (2000). Pregnant, alcohol-abusing women. *Alcoholism: Clinical and Experimental Research, 24*(8), 1276-1286.
- Hankinson, S. E., Willett, W. C., Manson, J. E., Hunter, D. J., Colditz, G. A., Stampfer, M. J., et al. (1995). Alcohol, height, and adiposity in relation to estrogen and prolactin levels in postmenopausal women. *Journal of the National Cancer Institute, 87*(17), 1297-1302.
- Hans, S. L. (1999). Demographic and psychosocial characteristics of substance-abusing pregnant women. *Clinics in Perinatology, 26*(1), 55-74.
- Hanson, G. R. (2002). In drug abuse, gender matters. *NIDA Notes, 17*(2).

- Harlow, S. D., Goldberg, E. L., & Comstock, G. W. (1991). A longitudinal study of the prevalence of depressive symptomatology in elderly widowed and married women. *Archives of General Psychiatry*, 48(12), 1065-1068.
- Harlow, S. D., Goldberg, E. L., & Comstock, G. W. (1991). A longitudinal study of risk factors for depressive symptomatology in elderly widowed and married women. *American Journal of Epidemiology*, 134(5), 526-538.
- Harrell, J. S., Bangdiwala, S. I., Deng, S., Webb, J. P., & Bradley, C. (1998). Smoking initiation in youth: The roles of gender, race, socioeconomic, and developmental status. *Journal of Adolescent Health*, 23(5), 271-279.
- Harrison, P. A., Fulkerson, J. A., & Park, E. (2000). The relative importance of social versus commercial sources in youth access to tobacco, alcohol, and other drugs. *Preventive Medicine*, 31(1), 39-48.
- Harrison, P. A., Hoffman, N. G., & Edwall, G. E. (1989). Differential drug use patterns among sexually abused adolescent girls in treatment for chemical dependency. *International Journal of the Addictions*, 24(6), 499-514.
- Harrison, P. G. (2001). *Moderate drinking helps preserve women's brains*. [On-line]. Retrieved March 26, 2003 from the World Wide Web: <http://www.reuters.com>.
- Hart, G. T., Brown, D. M., & Mincer, H. (1995). Tobacco use and dental disease. *Journal of the Tennessee Dental Association*, 75(2), 25-27.
- Haug, N. A. (2003). Motivational enhancement therapy for cigarette-smoking in methadone-maintained pregnant women. *Dissertations Abstracts International*, 63(8-B), 3916.
- Havemann, J. (1989, February 17). Alcohol warning labels may be in small type: Congressionally mandated regulations for beverages issued. *Washington Post*, Pg. A03.
- Healthyplace.com. (2000). *Frequently asked questions about suicide*. [On-line]. Retrieved February 4, 2003 from the World Wide Web: <http://www.healthyplace.com>.
- Heath, A. C., Bucholz, K. K., Madden, P. A. F., Dinwiddie, S. H., Slutske, W. S., Bierut, L. J., et al. (1997). Genetic and environmental contributions to alcohol dependence risk in a national twin sample: Consistency of findings in women and men. *Psychological Medicine*, 27(6), 1381-1396.
- Heath, A. C., Slutske, W. S., & Madden, P. A. F. (1997). Gender differences in the genetic contribution to alcoholism risk and to alcohol consumption patterns. In R. W. Wilsnack & S. C. Wilsnack (Eds.), *Gender and alcohol: Individual and social perspectives* (pp. 114-149). New Brunswick, NJ: Rutgers Center of Alcohol Studies.
- Hedrich, D. (1990). Prostitution and AIDS risks among female drug users in Frankfurt. In M. A. Plant (Ed.), *AIDS, drugs, and prostitution* (pp. 159-174). New York: Routledge.
- Hellerstedt, W. L., Pirie, P. L., Lando, H. A., Curry, S. J., McBride, C. M., Grothaus, L. C., et al. (1998). Differences in preconceptional and prenatal behaviors in women with intended and unintended pregnancies. *American Journal of Public Health*, 88(4), 663-666.

- Helzer, J. E., & Pryzbeck, T. R. (1988). The co-occurrence of alcoholism with other psychiatric disorders in the general population and its impact on treatment. *Journal of Studies on Alcohol*, 49(3), 219-224.
- Hemmelgarn, B., Suissa, S., Huang, A., Boivin, J.-F., & Pinard, G. (1997). Benzodiazepine use and the risk of motor vehicle crash in the elderly. *JAMA*, 278(1), 27-31.
- Henry J. Kaiser Family Foundation. (2004). *Health coverage and access challenges for low-income women: Findings from the 2001 Kaiser Women's Health Survey: Issue brief*. [On-line]. Retrieved March 29, 2004 from the World Wide Web: <http://www.kff.org>.
- Henry J. Kaiser Family Foundation. (2004). *Racial and ethnic disparities in women's health coverage and access to care: Findings from the 2001 Kaiser Women's Health Survey: Issue brief*. [On-line]. Retrieved March 29, 2004 from the World Wide Web: <http://www.kff.org>.
- Henshaw, S. K. (1998). Unintended pregnancy in the United States. *Family Planning Perspectives*, 30(1), 24-29, 46.
- Hermanson, B., Omenn, G. S., Kronmal, R. A., & Gersh, B. J. (1988). Beneficial six-year outcome of smoking cessation in older men and women with coronary artery disease. *New England Journal of Medicine*, 319(21), 1365-1369.
- Hirschfelder, A. B. (1999). *Encyclopedia of smoking and tobacco*. Phoenix, AZ: Oryx Press.
- Hoffmann, J. P., & Su, S. S. (1998). Stressful life events and adolescent substance use and depression: Conditional and gender differentiated effects. *Substance Use and Misuse*, 33(11), 2219-2262.
- Holmen, T. L., Barrett-Connor, E., Holmen, J., & Bjerner, L. (2000). Health problems in teenage daily smokers versus nonsmokers, Norway, 1995-1997: The Nord-Trondelag health study. *American Journal of Epidemiology*, 151(2), 148-155.
- Holt, V. L., Daling, J. R., McKnight, B., Moore, D. E., Stergachis, A., & Weiss, N. S. (1994). Cigarette smoking and functional ovarian cysts. *American Journal of Epidemiology*, 139(8), 781-786.
- Holzer, C. E., Robins, L. E., Myers, J. K., Weissman, M. M., Tischler, G. L., Leaf, P. J., et al. (1984). Antecedents and correlates of alcohol abuse and dependence in the elderly. In G. Maddox, L. N. Robins, & N. Rosenberg (Eds.), *Nature and extent of alcohol problems among the elderly: Proceedings of a workshop November 3-4, 1983: NIAAA research monograph no. 14* (DHHS Pub. No. (ADM) 84-1321, pp. 217-244). Rockville, MD: U.S. Department of Health and Human Services, Public Health Service, Alcohol, Drug Abuse, and Mental Health Administration, National Institute on Alcohol Abuse and Alcoholism.
- Hommer, D. W., Momenan, R., Kaiser, E., & Rawlings, R. R. (2001). Evidence for a gender-related effect of alcoholism on brain volumes. *American Journal of Psychiatry*, 158(2), 198-204.
- Honkanen, R., Ertama, L., Kuosmanen, P., Linnoila, M., Alha, A., & Visuri, T. (1983). The role of alcohol in accidental falls. *Journal of Studies on Alcohol*, 44(2), 231-245.

- Hopper, J. L., & Seeman, E. (1994). The bone density of female twins discordant for tobacco use. *New England Journal of Medicine*, 330(6), 387-392.
- Hops, H., Davis, B., & Lewin, L. M. (1999). The development of alcohol and other substance use: A gender study of family and peer context. *Journal of Studies on Alcohol*, 13(Suppl.), 22-31.
- Horrigan, T. J., Schroeder, A. V., & Schaffer, R. M. (2000). The triad of substance abuse, violence, and depression are interrelated in pregnancy. *Journal of Substance Abuse Treatment*, 18(1), 55-58.
- Howell, E. M., Heiser, N., & Harrington, M. (1999). A review of recent findings on substance abuse treatment for pregnant women. *Journal of Substance Abuse Treatment*, 16(3), 195-219.
- Hu, F. B., Flay, B. R., Hedeker, D., Siddiqui, O., & Day, L. E. (1995). The influences of friends' and parental smoking on adolescent smoking behavior: The effects of time and prior smoking. *Journal of Applied Social Psychology*, 25(22), 2018-2047.
- Hughes, J. R., Rose, G. L., & Callas, P. W. (2000). Nicotine is more reinforcing in smokers with a past history of alcoholism than in smokers without this history. *Alcoholism: Clinical and Experimental Research*, 24(11), 1633-1638.
- Hunt, D. E. (1990). Drugs and consensual crimes: Drug dealing and prostitution. In M. Tonry & J. Q. Wilson (Eds.), *Drugs and crime* (pp. 159-201). Chicago: University of Chicago Press.
- Hunter, S. M. (2001). Quitting. In J. M. Samet & S.-Y. Yoon (Eds.), *Women and the tobacco epidemic: Challenges for the 21st century* (pp. 121-146). Geneva, Switzerland: World Health Organization.
- Husten, C. G., Chrismon, J. H., & Reddy, M. N. (1996). Trends and effects of cigarette smoking among girls and women in the United States, 1965-1993. *Journal of the American Medical Women's Association*, 51(1), 11-18.
- Huth-Bocks, A. C., Levendosky, A. A., Theran, S. A., & Bogat, G. A. (2004). The impact of domestic violence on mothers' prenatal representations of their infants. *Infant Mental Health Journal*, 25(2), 79-98.
- Hymowitz, N., Schwab, M., McNerny, C., Schwab, J., Eckholdt, H., & Haddock, K. (2003). Postpartum relapse to cigarette smoking in inner city women. *Journal of the National Medical Association*, 95(6), 461-474.
- Hystert, P. E., Mirand, A. L., Giovino, G. A., Cummings, K. M., & Kuo, C. L. (2003). "At Face Value": Age progression software provides personalised demonstration of the effects of smoking on appearance. *Tobacco Control*, 12(2), 238.
- Ikejima, K., Enomoto, N., Iimuro, Y., Ikejima, A., Fang, D., Xu, J., et al. (1998). Estrogen increases sensitivity of hepatic Kupffer cells to endotoxin. *American Journal of Physiology*, 274(4, Pt. 1), G669-G676.

- Ikonomidou, C., Bittigau, P., Ishimaru, M. J., Wozniak, D. F., Koch, C., Genz, K., et al. (2000). Ethanol-induced apoptotic neurodegeneration and fetal alcohol syndrome. *Science*, 287(5455), 1056-1060.
- Inciardi, J. A., Lockwood, D., & Pottieger, A. E. (1993). *Women and crack-cocaine*. New York: Macmillan.
- Innes, K. E., & Byers, T. E. (2001). Smoking during pregnancy and breast cancer risk in very young women (United States). *Cancer Causes and Control*, 12(2), 179-185.
- Ives, T. J. (1992). Pharmacotherapeutics. In R. J. Ham & P. D. Sloane (Eds.), *Primary care geriatrics: A case-based approach* (pp. 194-208). St. Louis, MO: Mosby Year Book.
- Jackson, C., Henriksen, L., & Dickinson, D. (1999). Alcohol-specific socialization, parenting behaviors and alcohol use by children. *Journal of Studies on Alcohol*, 60(3), 362-367.
- Jacobson, J. L., & Jacobson, S. W. (2002). Effects of prenatal alcohol exposure on child development. *Alcohol Research and Health*, 26(4), 282-286.
- Jacobson, M., Atkins, R., & Hacker, G. (1983). *The booze merchants: The inebriating of America*. Washington, DC: Center for Science in the Public Interest.
- Jacobson, S. W. (1999). Assessing the impact of maternal drinking during and after pregnancy. *Alcohol Health and Research World*, 21(3), 199-203.
- Jasinski, J. L. (2004). Pregnancy and domestic violence: A review of the literature. *Trauma, Violence, and Abuse*, 5(1), 47-64.
- Jasinski, J. L., Williams, L. M., & Siegel, J. (2000). Childhood physical and sexual abuse as risk factors for heavy drinking among African-American women: A prospective study. *Child Abuse and Neglect*, 24 (8), 1061-1071.
- Jennison, K. M. (1992). Impact of stressful life events and social support on drinking among older adults: A general population survey. *International Journal of Aging and Human Development*, 35(2), 99-123.
- Jensen, J., Christiansen, C., & Rodbro, P. (1985). Cigarette smoking, serum estrogens and bone loss during hormone-replacement therapy early after menopause. *New England Journal of Medicine*, 313(16), 973-975.
- Jensen, P. M. (1994). A history of women and smoking. *Canadian Woman Studies/Les Cahiers De La Femme*, 14(3), 29-32.
- Jersild, D. (2002, May 31). Alcohol in the vulnerable lives of college women. *Chronicle of Higher Education*, 48(38), Pg. B10.
- Jessup, M. A., Humphreys, J. C., Brindis, C. D., & Lee, K. A. (2003). Extrinsic barriers to substance abuse treatment among pregnant drug dependent women. *Journal of Drug Issues*, 33(2), 285-304.

- Jinks, M. J., & Raschko, R. R. (1990). A profile of alcohol and prescription drug abuse in a high-risk community-based elderly population. *Annals of Pharmacotherapy*, 24(10), 971-975.
- Johnson, H. L., & Johnson, P. B. (1998). Possible precursors of gender drinking differences. *Journal of Addictive Diseases*, 17(3), 1-12.
- Johnson, J. G., Cohen, P., Pine, D. S., Klein, D. F., Kasen, S., & Brook, J. S. (2000). Association between cigarette smoking and anxiety disorders during adolescence and early adulthood. *JAMA*, 284(18), 2348-2351.
- Johnson, J. L., & Leff, M. (1999). Children of substance abusers: Overview of research findings. *Pediatrics*, 103(5), 1085-1099.
- Johnson, N. G., Roberts, M. C., & Worell, J. (1999). *Beyond appearance: A new look at adolescent girls*. Washington, DC: American Psychological Association.
- Johnson, P. B., & Johnson, H. L. (2000). Reaffirming the power of parental influence on adolescent smoking and drinking decisions. *Adolescent and Family Health*, 1(1), 37-43.
- Johnson, P. B., & Richter, L. (2002). The relationship between smoking, drinking, and adolescents' self-perceived health and frequency of hospitalization: Analyses from the 1997 National Household Survey on Drug Abuse. *Journal of Adolescent Health*, 30(3), 175-183.
- Johnson, R. A., & Hoffmann, J. P. (2000). Adolescent cigarette smoking in U.S. racial/ethnic subgroups: Findings from the National Education Longitudinal Study. *Journal of Health and Social Behavior*, 41(4), 392-407.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2000). *Monitoring the future: National survey results on drug use, 1975-1999: Volume 2: College students and adults ages 19-40* (NIH Pub. No. 00-4803). Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2001). *Monitoring the future: National survey results on drug use, 1975-2000: Volume 1: Secondary school students* (NIH Pub. No. 01-4924). Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2003). *Monitoring the future: National survey results on drug use, 1975-2002: Volume 2, college students and adults ages 19-40* (NIH Pub. No. 03-5376). Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2003). *Monitoring the future: National survey results on drug use, 1975-2002: Volume 1, secondary school students* (NIH Pub. No. 03-5375). Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2004). *Monitoring the future: National survey results on drug use, 1975-2003. Volume 1: Secondary school students* (NIH Pub.

- No. 04-5507). Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2004). *Monitoring the future: National survey results on drug use, 1975-2003. Volume 2: College students and adults ages 19-45 (NIH Pub. No. 04-5508)*. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2005). *Monitoring the future: National results on adolescent drug use: Overview of key findings, 2004* (NIH No. 05-5726). Bethesda, MD: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute on Drug Abuse.
- Join Together. (2002). *Alcohol more strongly linked to violence than other drugs*. [On-line]. Retrieved February 26, 2004 from the World Wide Web: <http://www.jointogether.org>.
- Join Together. (2002). *Depression, alcohol use linked in pregnant women*. [On-line]. Retrieved April 26, 2004 from the World Wide Web: <http://www.jointogether.org>.
- Join Together. (2002). *Most pregnant women don't disclose drug use*. [On-line]. Retrieved March 2, 2004 from the World Wide Web: <http://www.jointogether.org>.
- Join Together. (2002). *Parents warned about gelatin "Zippers"*. [On-line]. Retrieved February 12, 2004 from the World Wide Web: <http://www.jointogether.org>.
- Join Together. (2002). *Secondhand smoke affects children's learning ability*. [On-line]. Retrieved March 4, 2004 from the World Wide Web: <http://www.jointogether.org>.
- Join Together. (2002). *Walters says anti-drug ad campaign a failure*. [On-line]. Retrieved June 11, 2002 from the World Wide Web: <http://www.jointogether.org>.
- Jones, D. C. (2001). Social comparison and body image: Attractiveness comparisons to models and peers among adolescent girls and boys. *Sex Roles, 45*(9-10), 645-664.
- Jones, K. L., & Smith, D. W. (1973). Recognition of the fetal alcohol syndrome in early infancy. *Lancet, 2*(7836), 999-1001.
- Jones-Webb, R., Toomey, T. L., Miner, K., Wagenaar, A. C., Wolfson, M., & Poon, R. (1997). Why and in what context adolescents obtain alcohol from adults: A pilot study. *Substance Use and Misuse, 32*(2), 218-228.
- Jonnes, J. (2002). Hip to be high: Heroin and popular culture in the twentieth century. In D. F. Musto (Ed.), *One hundred years of heroin* (pp. 227-236). Westport, CT: Auburn House.
- Jos, P. H., Perlmutter, M., & Marshall, M. F. (2003). Substance abuse during pregnancy: Clinical and public health approaches. *Journal of Law, Medicine and Ethics, 31*(3), 340-350.
- Kalotra, C. J. (2002). *Estimated costs related to the birth of a drug and/or alcohol exposed baby*. [On-line]. Retrieved February 9, 2004 from the World Wide Web: <http://www.american.edu>.

- Kaltenbach, K. A., & Finnegan, L. P. (1989). Prenatal narcotic exposure: Perinatal and developmental effects. *NeuroToxicology*, *10*(3), 597-604.
- Kaltenbach, K., Berghella, V., & Finnegan, L. (1998). Opioid dependence during pregnancy: Effects and management. *Substance Abuse in Pregnancy*, *25*(1), 139-151.
- Kan, C. C., Breteler, M. H., van der Ven, A. H., Timmermans, M. A., & Zitman, F. G. (2001). Assessment of benzodiazepine dependence in alcohol and drug dependent outpatients: A research report. *Substance Use and Misuse*, *36*(8), 1085-1109.
- Kandall, S. R. (1996). *Substance and shadow: Women and addiction in the United States*. Cambridge, MA: Harvard University Press.
- Kandall, S. R. (1998). The history of drug abuse and women in the United States. In C. L. Wetherington & A. B. Roman (Eds.), *Drug addiction research and the health of women: Executive summary* (NIH Pub. No. 98-4289, pp. 8-16). Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- Kandall, S. R. (1998). Women and addiction in the United States: 1850 to 1920. In C. L. Wetherington & A. B. Roman (Eds.), *Drug addiction research and the health of women* (NIH Pub. No. 98-4290, pp. 33-52). Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- Kandall, S. R. (1998). Women and addiction in the United States: 1920 to the present. In C. L. Wetherington & A. B. Roman (Eds.), *Drug addiction research and the health of women* (NIH Pub. No. 98-4290, pp. 53-80). Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- Kandall, S. R., & Chavkin, W. (1992). Illicit drugs in America: History, impact on women and infants, and treatment strategies for women. *Hastings Law Journal*, *43*(3), 615-643.
- Kandel, D. B. (1985). On processes of peer influences in adolescent drug use: A developmental perspective. *Advances in Alcohol and Substance Abuse*, *4*(3-4), 139-163.
- Kandel, D. B., & Andrews, K. (1987). Processes of adolescent socialization by parents and peers. *International Journal of the Addictions*, *22*(4), 319-342.
- Kandel, D. B., & Chen, K. (2000). Extent of smoking and nicotine dependence in the United States: 1991-1993. *Nicotine and Tobacco Research*, *2*(3), 263-274.
- Kandel, D. B., & Udry, J. R. (1999). Prenatal effects of maternal smoking on daughters' smoking: Nicotine or testosterone exposure? *American Journal of Public Health*, *89*(9), 1377-1383.
- Kandel, D. B., Wu, P., & Davies, M. (1994). Maternal smoking during pregnancy and smoking by adolescent daughters. *American Journal of Public Health*, *84*(9), 1407-1413.
- Kandel, D. B., Yamaguchi, K., & Chen, K. (1992). Stages of progression in drug involvement from adolescence to adulthood: Further evidence for the gateway theory. *Journal of Studies on Alcohol*, *53*(5), 447-457.

- Kantor, G. K., & Straus, M. A. (1989). Substance abuse as a precipitant of wife abuse victimizations. *American Journal of Drug and Alcohol Abuse, 15*(2), 173-189.
- Kassebaum, G., & Chandler, S. M. (1994). Polydrug use and self control among men and women in prisons. *Journal of Drug Education, 24*(4), 333-350.
- Kaufman, N. J., & Nichter, M. (2001). The marketing of tobacco to women: Global perspective. In J. M. Samet & S.-Y. Yoon (Eds.), *Women and the tobacco epidemic: Challenges for the 21st century* (pp. 69-98). Geneva, Switzerland: World Health Organization.
- Kearney, M. H., Munro, B. H., Kelly, U., & Hawkins, J. W. (2004). Health behaviors as mediators for the effect of partner abuse on infant birth weight. *Nursing Research, 53*(1), 36-45.
- Keller, R. W., & Snyder-Keller, A. (2000). Prenatal cocaine exposure. *Annals of the New York Academy of Sciences, 909*, 217-232.
- Kelly, P. J., Blacksins, B., & Mason, E. (2001). Factors affecting substance abuse treatment completion for women. *Issues in Mental Health Nursing, 22*(3), 287-304.
- Kelly, T. M., Lynch, K. G., Donovan, J. E., & Clark, D. B. (2001). Alcohol use disorders and risk factor interactions for adolescent suicidal ideation and attempts. *Suicide and Life-Threatening Behavior, 31*(2), 181-193.
- Kendler, K. S., Heath, A. C., Neale, M. C., Kessler, R. C., & Eaves, L. J. (1993). Alcoholism and major depression in women: A twin study of the causes of comorbidity. *Archives of General Psychiatry, 50*(9), 690-698.
- Kendler, K. S., Neale, M. C., Heath, A. C., Kessler, R. C., & Eaves, L. J. (1994). A twin-family study of alcoholism in women. *American Journal of Psychiatry, 151*(5), 707-715.
- Kendler, K. S., Neale, M. C., MacLean, C. J., Heath, A. C., Eaves, L. J., & Kessler, R. C. (1993). Smoking and major depression: A causal analysis. *Archives of General Psychiatry, 50*(1), 36-43.
- Kendler, K., Neale, M. C., Sullivan, P., Corey, L. A., Gardner, C. O., & Prescott, C. A. (1999). A population-based twin study in women of smoking initiation and nicotine dependence. *Psychological Medicine, 29*(2), 299-308.
- Kennedy, B. (1999). *The tranquilizing of America: How mood-altering drugs changed the cultural landscape*. [On-line]. Retrieved April 3, 2003 from the World Wide Web: <http://www.cnn.com>.
- Kennedy, G. J., Kelman, H. R., & Thomas, C. (1990). The emergence of depressive symptoms in late life: The importance of declining health and increasing disability. *Journal of Community Health, 15*(2), 93-104.
- Kesmodel, U., Wisborg, K., Olsen, S. F., Henriksen, T. B., & Secher, N. J. (2002). Moderate alcohol intake in pregnancy and the risk of spontaneous abortion. *Alcohol and Alcoholism, 37*(1), 87-92.

- Kilbourne, J. (1999). *Can't buy me love: How advertising changes the way we think and feel*. New York: Touchstone.
- Kilpatrick, D. G., Acierno, R., Resnick, H. S., Saunders, B. E., & Best, C. L. (1997). A 2-year longitudinal analysis of the relationships between violent assault and substance use in women. *Journal of Consulting and Clinical Psychology, 65*(5), 834-847.
- Kilpatrick, D. G., Edmunds, C. N., & Seymour, A. K. (1992). *Rape in America: A report to the nation*. Charleston, SC: Crime Victims' Research and Treatment Center.
- King James Bible verses*. (2003). [On-line]. Retrieved March 5, 2004 from the World Wide Web: [http://www.reference-guides.com/king\\_james\\_bible/](http://www.reference-guides.com/king_james_bible/).
- King, A. C., Taylor, C. B., & Haskell, W. L. (1990). Smoking in older women: Is being female a "risk factor" for continued cigarette use? *Archives of Internal Medicine, 150*(9), 1841-1846.
- Klassen, A. D., & Wilsnack, S. C. (1986). Sexual experience and drinking among women in a U.S. national survey. *Archives of Sexual Behavior, 15*(5), 363-392.
- Klatsky, A. L. (1999). Moderate drinking and reduced risk of heart disease. *Alcohol Research and Health, 23*(1), 15-23.
- Klesges, R. C., & Meyers, A. W. (1989). Smoking, body weight, and their effects on smoking behavior: A comprehensive review of the literature. *Psychological Bulletin, 106*(2), 204-230.
- Kluger, R. (1996). *Ashes to ashes*. New York: Knopf.
- Knight, J. R., Wechsler, H., Kuo, M., Seibring, M., Weitzman, E. R., & Schuckit, M. A. (2002). Alcohol abuse and dependence among U.S. college students. *Journal of Studies on Alcohol, 63*(3), 263-270.
- Koenig, H. G., George, L. K., & Meador, K. G. (1997). Use of antidepressants by nonpsychiatrists in the treatment of medically ill hospitalized depressed elderly patients. *American Journal of Psychiatry, 154*(10), 1369-1375.
- Koerner, B. I. (1999, December 27). Leo Sternbach: The father of Mother's Little Helper. *U.S. News and World Report, 127*(25), Pg. 58.
- Kofoed, L. L., Tolson, R. L., Atkinson, R. M., Toth, R. L., & Turner, J. A. (1987). Treatment compliance of older alcoholics: An elder specific approach is superior to "mainstreaming". *Journal of Studies on Alcohol, 48*(1), 47-51.
- Koletzko, B., & Lehner, F. (2000). Beer and breastfeeding. *Advances in Experimental Medicine and Biology, 478*, 23-28.
- Korkman, M., Kettunen, S., & Autti-Rämö, I. (2003). Neurocognitive impairment in early adolescence following prenatal alcohol exposure of varying duration. *Child Neuropsychology, 9*(2), 117-128.

- Koss, M. P. (1988). Hidden rape: Sexual aggression and victimization in a national sample of students in higher education. In A. W. Burgess (Ed.), *Rape and sexual assault: Volume 2* (pp. 3-25). New York: Garland.
- Kouri, E. M., Pope, H. G., & Lukas, S. E. (1999). Changes in aggressive behavior during withdrawal from long-term marijuana use. *Psychopharmacology*, *143*(3), 302-308.
- Krahn, D., Kurth, C., Demitrack, C., & Drewnowski, A. (1992). The relationship of dieting severity and bulimic behaviors to alcohol and other drug use in young women. *Journal of Substance Abuse*, *4*(4), 341-353.
- Kruger, T. E., & Jerrells, T. R. (1992). Potential role of alcohol in human immunodeficiency virus infection. *Alcohol Health and Research World*, *16*(1), 57-63.
- Kumpulainen, K. (2000). Psychiatric symptoms and deviance in early adolescence predict heavy alcohol use 3 years later. *Addiction*, *95*(12), 1847-1857.
- Kumpulainen, K., & Roine, S. (2002). Depressive symptoms at the age of 12 years and future heavy alcohol use. *Addictive Behaviors*, *27*(3), 425-436.
- Kunz, J. L., & Graham, K. (1996). Life course changes in alcohol consumption in leisure activities of men and women. *Journal of Drug Issues*, *26*(4), 805-829.
- LaCroix, A. Z., Lang, J., Scherr, P., Wallace, R. B., Cornoni-Huntley, J., Berkman, L., et al. (1991). Smoking and mortality among older men and women in three communities. *New England Journal of Medicine*, *324*(23), 1619-1625.
- Lamy, P. P. (1988). Actions of alcohol and drugs in older people. *Generations*, *12*(4), 9-13.
- Landers, S. J. (2002). *Antitobacco activists lift smokescreen behind teen smoking*. [On-line]. Retrieved February 27, 2004 from the World Wide Web: <http://www.ama-assn.org>.
- Lando, H. A., Thai, D. T., Murray, D. M., Robinson, L. A., Jeffery, R. W., Sherwood, N. E., et al. (1999). Age of initiation, smoking patterns, and risk in a population of working adults. *Preventive Medicine*, *29*(6, Pt. 1), 590-598.
- Langhammer, A., Holmen, J., Johnsen, R., Bjermer, L., & Gulsvik, A. (2000). Cigarette smoking gives more respiratory symptoms among women than among men: The Nørd-Trøndelag Health Study (HUNT). *Journal of Epidemiology and Community Health*, *54*(12), 917-922.
- Lapp, T. (2000). ACOG addresses psychosocial screening in pregnant women. *American Family Physician*, *62*(12), 2701-2702.
- Leigh, B. C. (1995). A thing so fallen, and so vile: Images of drinking and sexuality in women. *Contemporary Drug Problems*, *22*(3), 415-434.
- Lemoine, P., Harousseau, H., Borteyru, J. P., & Menuet, J. C. (1968). Les enfants de parents alcooliques: Anomalies observées à propos de 127 cas. *Ouest Medical*, *21*, 476-482.

- Leonardson, G. R., & Loudenburg, R. (2003). Risk factors for alcohol use during pregnancy in a multistate area. *Neurotoxicology and Teratology*, 25(6), 651-658.
- Lerner, J. V., & Vicary, J. R. (1984). Difficult temperament and drug use: Analyses from the New York Longitudinal Study. *Journal of Drug Education*, 14(1), 1-8.
- Leung, J., Boisse, N. R., & Amitay, O. (1995). Sex differences in spontaneous withdrawal following acute benzodiazepine dependence induction. In L. S. Harris (Ed.), *Problems of drug dependence, 1994: Proceedings of the 56th annual scientific meeting: Volume II: abstracts: NIDA research monograph no. 153* (NIH Pub. No. 95-3883, pp. 237). Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- Levin, J. S., & Taylor, R. J. (1993). Gender and age differences in religiosity among black Americans. *Gerontologist*, 33(1), 16-23.
- Lewis, D. K., & Watters, J. K. (1991). Sexual risk behavior among heterosexual intravenous drug users: Ethnic and gender variations. *AIDS*, 5(1), 77-83.
- Lex, B. W. (1995). Alcohol and other psychoactive substance dependence in women and men. In M. V. Seeman (Ed.), *Gender and psychopathology* (pp. 311-358). Washington, DC: American Psychiatric Press.
- Li, X., Feigelman, S., & Stanton, B. (2000). Perceived parental monitoring and health risk behaviors among urban low-income African-American children and adolescents. *Journal of Adolescent Health*, 27(1), 43-48.
- Liberto, J. G., & Oslin, D. W. (1997). Antecedents of drinking for early- and late-onset elderly alcohol abusers. *Journal of Studies on Alcohol*, 52(6), 587-592.
- Liberto, J. G., & Oslin, D. W. (1997). Early versus late onset of alcoholism in the elderly. In A. M. Gurnack (Ed.), *Older adults' misuse of alcohol, medicines, and other drugs: Research and practice issues* (pp. 94-112). New York: Springer.
- Licciardone, J. C., Brownson, R. C., Chang, J. C., & Wilkens, J. R. (1990). Uterine cervical cancer risk in cigarette smokers: A meta-analytic study. *American Journal of Preventive Medicine*, 6(5), 274-281.
- Lieu, J. E. C., & Feinstein, A. R. (2002). Effect of gestational and passive smoke exposure on ear infections in children. *Archives of Pediatric and Adolescent Medicine*, 156(2), 147-154.
- Light, H. (1998). Sex differences in adolescent high-risk sexual and drug behaviors. *Psychological Reports*, 82(3, Pt. 2), 1312-1314.
- Light, J. M., Grube, J. W., Madden, P. A., & Gover, J. (2003). Adolescent alcohol use and suicidal ideation: A nonrecursive model. *Addictive Behaviors*, 28(4), 705-724.
- Lindley, A. A., Becker, S., Gray, R. H., & Herman, A. A. (2000). Effect of continuing or stopping smoking during pregnancy on infant birth weight, crown-heel length, head circumference, ponderal index, and brain:body weight ratio. *American Journal of Epidemiology*, 152(3), 219-225.

- Ling, W., Wesson, D. R., & Smith, D. E. (2003). Abuse of prescription opioids. In A. W. Graham, T. K. Schultz, M. Mayo-Smith, R. K. Ries, & B. B. Wilford (Eds.), *Principles of Addiction Medicine* (pp. 1281). Chevy Chase, MD: American Society of Addiction Medicine.
- Lipsitz, L. A., Hirayama, T., Nakajima, I., Kelley, M., Ruthazer, R., Hirayama, T., et al. (1991). Muscle strength, medications and falls in elderly Japanese and American nursing home residents: A cross-cultural study. *Journal of the American Geriatric Society*, 39(8), A10.
- Litovitz, T. L., Klein-Schwartz, W., Rodgers, G. C., Cobaugh, D. J., Youniss, J., Omslaer, J. C., et al. (2002). 2001 annual report of the American Association of Poison Control Centers Toxic Exposure Surveillance System. *American Journal of Emergency Medicine*, 20(5), 391-452.
- Little, R. E., Anderson, E. W., Ervin, C. H., Worthington-Roberts, B., & Clarren, S. K. (1989). Maternal alcohol use during breast-feeding and infant mental and motor development at one year. *New England Journal of Medicine*, 321(7), 425-430.
- Little, R. E., Northstone, K., & Golding, J. (2002). Alcohol, breastfeeding, and development at 18 months. *Pediatrics*, 109(5), e72.
- Logan, T. K., Leukefeld, C., & Farabee, D. (1998). Sexual and drug use behaviors among women crack users: Implications for prevention. *AIDS Education and Prevention*, 10(4), 327-340.
- Longcope, C., & Johnston, C. C. (1988). Androgen and estrogen dynamics in pre-and postmenopausal women: A comparison between smokers and nonsmokers. *Journal of Clinical Endocrinology and Metabolism*, 76(2), 379-383.
- Longo, L. P., & Johnson, B. (2000). Addiction: Part I: Benzodiazepines: Side effects, abuse risk, and alternatives. *American Family Physician*, 61(7), 2121-2128.
- Looker, A. C., Johnston, C. C., Wahner, H. W., Dunn, W. L., Calvo, M. S., Harris, T. B., et al. (1995). Prevalence of low femoral bone density in older U.S. women from NHANES III. *Journal of Bone and Mineral Research*, 10(5), 796-802.
- Loop, K. Q., & Nettleman, M. D. (2002). Obstetrical textbooks: Recommendations about drinking during pregnancy. *American Journal of Preventive Medicine*, 23(2), 136-138.
- Loose, C. (2004). *Public smoking ban spreads around world*. [On-line]. Retrieved April 12, 2004 from the World Wide Web: <http://www.philly.com>.
- López, R. I. (2002). *The teen health book: A parents' guide to adolescent health and well-being*. New York.: W. W. Norton.
- Lorente, C., Cordier, S., Goujard, S., Ayme, S., Bianchi, F., Calzolari, E., et al. (2000). Tobacco and alcohol use during pregnancy and risk of oral clefts: Occupational Exposure and Congenital Malformation Working Group. *American Journal of Public Health*, 90(3), 415-419.

- Lowry, R., Holtzman, D., Truman, B. I., Kann, L., Collins, J. L., & Kolbe, L. J. (1994). Substance use and HIV-related sexual behaviors among US high school students: Are they related? *American Journal of Public Health, 84*(7), 1116-1120.
- Lucas, E. T., Goldschmidt, L., & Day, N. L. (2003). Alcohol use among pregnant African American women: Ecological considerations. *Health and Social Work, 28*(4), 273-283.
- Ludwig, K. B., & Pittman, J. F. (1999). Adolescent prosocial values and self-efficacy in relation to delinquency, risky sexual behavior, and drug use. *Youth and Society, 30*(4), 461-482.
- Lundahl, L. H., & Lukas, S. E. (2001). The impact of familial alcoholism on alcohol reactivity in female social drinkers. *Experimental and Clinical Psychopharmacology, 9*(1), 101-109.
- Lupton, C., Burd, L., & Harwood, R. (2004). *Cost of fetal alcohol spectrum disorders*. [On-line]. Retrieved April 5, 2004 from the World Wide Web: <http://www.interscience.wiley.com/>.
- Luthar, S. S., & Becker, B. E. (2002). Privileged but pressured? A study of affluent youth. *Child Development, 73*(5), 1593-1610.
- Luthar, S. S., & D'Avanzo, K. (1999). Contextual factors in substance use: A study of suburban and inner-city adolescents. *Development and Psychopathology, 11*(4), 845-867.
- Lynch, W. J., Roth, M. E., & Carroll, M. E. (2002). Biological basis of sex differences in drug abuse: Preclinical and clinical studies. *Psychopharmacology, 164*(2), 121-137.
- MacGregor, R. R. (1988). Alcohol and drugs as co-factors for AIDS. In L. Siegel (Ed.), *AIDS and substance abuse* (pp. 47-71). New York: Harrington Park Press.
- Maes, H. H., Woodard, C. E., Murrelle, L., Meyer, J. M., Silberg, J. L., Hewitt, J. K., et al. (1999). Tobacco, alcohol and drug use in eight-to-sixteen-year-old twins: The Virginia Twin Study of Adolescent Behavioral Development. *Journal of Studies on Alcohol, 60*(3), 293-305.
- Maher, L., & Curtis, R. (1992). Women on the edge of crime: Crack cocaine and the changing contexts of street-level sex work in New York City. *Crime, Law and Social Change, 18*(3), 221-258.
- Maine, M. (2000). *Body wars: Making peace with women's bodies: An activist's guide*. Carlsbad, CA: Gürze Books.
- Malcolm, M. T. (1984). Alcohol and drug use in the elderly visited at home. *International Journal of the Addictions, 19*(4), 411-418.
- Males, M. (1995). The influence of parental smoking on youth smoking: Is the recent downplaying justified? *Journal of School Health, 65*(6), 228-221.
- Malik, S., Sorenson, S. B., & Aneshensel, C. S. (1997). Community and dating violence among adolescents: Perpetration and victimization. *Journal of Adolescent Health, 21*(5), 291-302.

- Malmivaara, A., Heliövaara, M., Knekt, P., Reunanen, A., & Aromaa, A. (1993). Risk factors for injurious falls leading to hospitalization or death in a cohort of 19,500 adults. *American Journal of Epidemiology*, 138(6), 384-394.
- Mann, K., Batra, A., Günthner, A., & Schroth, G. (1992). Do women develop alcoholic brain damage more readily than men? *Alcoholism: Clinical and Experimental Research*, 16(6), 1052-1056.
- Mansvelder, H. D., & McGehee, D. S. (2000). Long-term potentiation of excitatory inputs to brain reward areas by nicotine. *Neuron*, 27(2), 349-357.
- March of Dimes. (2002). *Cocaine use during pregnancy*. [On-line]. Retrieved March 4, 2004 from the World Wide Web: <http://www.marchofdimes.com>.
- March of Dimes. (2002). *Drinking alcohol during pregnancy*. [On-line]. Retrieved September 30, 2002 from the World Wide Web: <http://www.marchofdimes.com>.
- Marshall, M. F., Menikoff, J., & Paltrow, L. M. (2003). Perinatal substance abuse and human subjects research: Are privacy protections adequate? *Mental Retardation and Developmental Disabilities Research Reviews*, 9(1), 54-59.
- Martin, C. A., Logan, T. K., Portis, C., Leukefeld, C. G., Lynam, D., Staton, M., et al. (2001). The association of testosterone with nicotine use in young adult females. *Addictive Behaviors*, 26(2), 279-283.
- Martin, C., Logan, T. K., Leukefeld, C., Milich, R., Omar, H., & Clayton, R. (2001). Adolescent and young adult substance use: Associated with sensation seeking, self esteem and retrospective report of early pubertal onset: A preliminary examination. *International Journal of Adolescent Medicine and Health*, 13(3), 211-219.
- Martin, G., & Elkin, E. J. (1995). *Aficionadas: Women and their cigars*. [On-line]. Retrieved January 31, 2002 from the World Wide Web: <http://www.cigaraficionado.com>.
- Martin, J. A., Hamilton, B. E., Sutton, P. D., Ventura, S. J., Menacker, F., and Munson, M. L. (2003). Births: Final data for 2002. *National Vital Statistics Reports*, 52(10).
- Martin, S. L., Beaumont, J. L., & Kupper, L. L. (2003). Substance use before and during pregnancy: Links to intimate partner violence. *American Journal of Drug and Alcohol Abuse*, 29(3), 599-617.
- Martin, S. L., Clark, K. A., Lynch, S. R., Kupper, L. L., & Cilenti, D. (1999). Violence in the lives of pregnant teenage women: Associations with multiple substance use. *American Journal of Drug and Alcohol Abuse*, 25(3), 425-440.
- Martínez-Frías, M. L., Bermejo, E., Rodríguez-Pinilla, E., & Frías, J. L. (2004). Risk for congenital anomalies associated with different sporadic and daily doses of alcohol consumption during pregnancy: A case-control study. *Birth Defects Research (Part A): Clinical and Molecular Teratology*, 70(4), 194-200.

- Mascola, M. A., Van Vunakis, H., Tager, I. B., Speizer, F. E., & Hanrahan, J. P. (1998). Exposure of young infants to environmental tobacco smoke: Breast-feeding among smoking mothers. *American Journal of Public Health, 88*(6), 893-896.
- Mason, J. O., Tolsma, D. O., Peterson, H. B., & Rowland Hogue, C. J. (1988). Health promotion for women: Reduction of smoking in primary care settings. *Clinical Obstetrics and Gynecology, 31*(4), 989-1002.
- Mathews, T. J. (2001). Smoking during pregnancy in the 1990s. *National Vital Statistics Reports, 49*(7), 1-14.
- Mattson, S. N., & Riley, E. P. (2000). Parent ratings of behavior in children with heavy prenatal alcohol exposure and IQ-matched controls. *Alcoholism: Clinical and Experimental Research, 24*(2), 226-231.
- May, P. A., & Gossage, J. P. (2001). Estimating the prevalence of fetal alcohol syndrome: A summary. *Alcohol Research and Health, 25*(3), 159-167.
- May, P. A., Gossage, J. P., White-Country, M., Goodhart, K., Decoteau, S., Trujillo, P. M., et al. (2004). Alcohol consumption and other maternal risk factors for fetal alcohol syndrome among three distinct samples of women before, during, and after pregnancy: The risk is relative. *American Journal of Medical Genetics Part C: Seminars in Medical Genetics, 127C*(1), 10-20.
- Mayer, R. R., Forster, J. L., Murray, D. M., & Wagenaar, A. C. (1998). Social settings and situations of underage drinking. *Journal on Studies of Alcohol, 59*(2), 207-215.
- McAuliffe, W. E. (1984). Nontherapeutic opiate addiction in health professionals: A new form of impairment. *American Journal of Drug and Alcohol Abuse, 10*(1), 1-22.
- McBride, C. M., & Pirie, P. L. (1990). Postpartum smoking relapse. *Addictive Behaviors, 15*(2), 165-168.
- McCabe, S. E. (2002). Gender differences in collegiate risk factors for heavy episodic drinking. *Journal of Studies on Alcohol, 63*(1), 49-56.
- McCoy, H. V., Inciardi, J. A., Metsch, L. R., Pottieger, A. E., & Saum, C. A. (1995). Women, crack and crime: Gender comparisons of criminal activity among crack cocaine users. *Contemporary Drug Problems, 22*(3), 435-451.
- McElhatton, P. R., Bateman, D. N., Evans, C., Pughe, K. R., & Thomas, S. H. (1999). Congenital anomalies after prenatal ecstasy exposure. *Lancet, 354*(9188), 1441-1442.
- McMaster, L. E., & Wintre, M. (1996). The relations between perceived parental reciprocity, perceived parental approval, and adolescent substance use. *Journal of Adolescent Research, 11*(4), 440-460.
- Meller, W. H., Rinehart, R., Cadoret, R. J., & Troughton, E. (1988). Specific familial transmission in substance abuse. *International Journal of the Addictions, 23*(10), 1029-1039.

- Mennella, J. (2001). Alcohol's effect on lactation. *Alcohol Health and Research World*, 25(3), 230-234.
- Mennella, J. A., & Garrish, C. J. (1998). Effects of exposure to alcohol in mother's milk on infant sleep. *Pediatrics*, 101(5), E2.
- Mennella, J. A., Pepino, M. Y., & Teff, K. L. (2005). Acute alcohol consumption disrupts the hormonal milieu of lactating women. *Journal of Clinical Endocrinology and Metabolism*, 90(4), 1979-1985.
- Merikangas, K. R., Stolar, M., Stevens, D. E., Goulet, J., Presig, M. A., Fenton, B., et al. (1998). Familial transmission of substance use disorders. *Archives of General Psychiatry*, 55(11), 973-979.
- Metzl, J. (2003). "Mother's little helper": The crisis of psychoanalysis and the Miltown Resolution. *Gender and History*, 15(2), 240-267.
- Metzl, J. M., & Angel, J. (2004). Assessing the impact of SSRI antidepressants on popular notion of women's depressive illness. *Social Science and Medicine*, 58(3), 577-584.
- Michell, L., & Amos, A. (1997). Girls, pecking order and smoking. *Social Science and Medicine*, 44(12), 1861-1869.
- Miles, D. R., Svikis, D. S., Kulstad, J. L., & Haug, N. A. (2001). Psychopathology in pregnant drug-dependent women with and without comorbid alcohol dependence. *Alcoholism: Clinical and Experimental Research*, 25(7), 1012-1017.
- Miles, D. R., van den Bree, M. B. M., & Pickens, R. W. (2002). Sex differences in shared genetic and environmental influences between conduct disorder symptoms and marijuana use in adolescents. *American Journal of Medical Genetics*, 114(2), 159-168.
- Miller, A. S., & Hoffmann, J. P. (1995). Risk and religion: An explanation of gender differences in religiosity. *Journal for the Scientific Study of Religion*, 34(1), 63-75.
- Miller, B. A. (1990). The interrelationships between alcohol and drugs and family violence. In M. De La Rosa, E. Y. Lambert, & B. Gropper (Eds.), *Drugs and violence: Causes, correlates and consequences: NIDA research monograph 103* (DHHS Pub. No. (ADM) 91-1721, pp. 177-207). Rockville, MD: U.S. Department of Health and Human Services, Public Health Service, Alcohol, Drug Abuse, and Mental Health Administration, National Institute on Drug Abuse.
- Miller, B. A. (1998). Partner violence experiences and women's drug use: Exploring the connections. In C. L. Wetherington & A. B. Roman (Eds.), *Drug addiction research and the health of women* (NIH Pub. No. 98-4290, pp. 407-416). Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- Miller, B. A., & Downs, W. R. (1993). The impact of family violence on the use of alcohol in women. *Alcohol Health and Research World*, 17(2), 137-143.

- Miller, B. A., Downs, W. R., & Gondoli, D. M. (1989). Spousal violence among alcoholic women as compared to a random household sample of women. *Journal of Studies on Alcohol*, 50(6), 533-540.
- Miller, B. A., Downs, W. R., & Testa, M. (1993). Interrelationships between victimization experiences and women's alcohol use. *Journal of Studies on Alcohol, Suppl. 11*, 109-117.
- Miller, N. S., Belkin, B. M., & Gold, M. S. (1991). Alcohol and drug dependence among the elderly: Epidemiology, diagnosis, and treatment. *Comprehensive Psychiatry*, 32(2), 153-165.
- Milunsky, A., Carmella, S. G., Ye, M., & Hecht, S. S. (2000). A tobacco-specific carcinogen in the fetus. *Prenatal Diagnosis*, 20(4), 307-310.
- Mitchell, J. L. (1995). *Pregnant, substance-using women: Treatment Improvement Protocol (TIP) Series 2* (DHHS Pub. no. (SMA) 95-3056). Rockville, MD: U.S. Department of Health and Human Services, Public Health Service, Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Treatment.
- Molotsky, I. (1984, August 11). Tobacco debate: Imports and health. *New York Times*, Pg. 6.
- Molotsky, I. (1984, May 22). Firmer warnings on cigarettes called likely. *New York Times*, Pg. A1, A15.
- Montamat, S. C., Cusack, B. J., & Vestal, R. E. (1989). Management of drug therapy in the elderly. *New England Journal of Medicine*, 321(5), 303-309.
- Montgomery, S. M., & Ekbom, A. (2002). Smoking during pregnancy and diabetes mellitus in a British longitudinal birth cohort. *British Medical Journal*, 324(7328), 26-27.
- Moon, D. G., Hecht, M. L., Jackson, K. M., & Spellers, R. E. (1999). Ethnic and gender differences and similarities in adolescent drug use and refusals of drug offers. *Substance Use and Misuse*, 34(8), 1059-1083.
- Moran, S., Thorndike, A. N., Armstrong, K., & Rigotti, N. A. (2003). Physicians' missed opportunities to address tobacco use during prenatal care. *Nicotine and Tobacco Research*, 5(3), 363-368.
- Morgan, H. W. (1981). *Drugs in America: A social history, 1800-1980*. Syracuse, NY: Syracuse University Press.
- Morrow, B. A., Elsworth, J. D., & Roth, R. H. (2002). Male rats exposed to cocaine in utero demonstrate elevated expression of Fos in the prefrontal cortex in response to environment. *Neuropsychopharmacology*, 26(3), 275-285.
- Morrow, B. A., Elsworth, J. D., & Roth, R. H. (2002). Prenatal cocaine exposure disrupts non-spatial, short-term memory in adolescent and adult male rats. *Behavioural Brain Research*, 129(1-2), 217-223.

- Mosca, L., Manson, J. E., Sutherland, S. E., Langer, R. D., Manolio, T., & Barrett-Connor, E. (1997). Cardiovascular disease in women: A statement for healthcare professionals from the American Heart Association. *Circulation*, *96*(7), 2468-2482.
- Most doctors don't counsel teens about smoking. (1999). *Alcoholism and Drug Abuse Weekly*, *11*(44), 8.
- Mott, F. L., & Haurin, R. J. (1988). Linkages between sexual activity and alcohol and drug use among American adolescents. *Family Planning Perspective*, *20*(3), 128-136.
- Moyer, D. (2000). *The tobacco reference guide*. [On-line]. Retrieved February 24, 2004 from the World Wide Web: <http://www.tobaccoprogram.org>.
- Muehlenhard, C. L., & Linton, M. A. (1987). Date rape and sexual aggression in dating situations: Incidence and risk factors. *Journal of Counseling Psychology*, *34*(2), 186-196.
- Mullen, P. D., Richardson, M. A., Quinn, V. P., & Ershoff, D. H. (1997). Postpartum return to smoking: Who is at risk and when. *American Journal of Health Promotion*, *11*(5), 323-330.
- Mumenthaler, M. S., Taylor, J. L., O'Hara, R., & Yesavage, J. A. (1999). Gender differences in moderate drinking effects. *Alcohol Research and Health*, *23*(1), 55-64.
- Murphy, S., & Rosenbaum, M. (1999). *Pregnant women on drugs: Combating stereotypes and stigma*. New Brunswick, NJ: Rutgers University Press.
- Murray, E., Lo, B., Pollack, L., Donelan, K., & Lee, K. (2003). Direct-to-consumer advertising: Physicians' views of its effects on quality of care and the doctor-patient relationship. *Journal of the American Board of Family Practice*, *16*(6), 513-524.
- NARAL Foundation. (2001). *Limitations on the rights of pregnant women*. [On-line]. Retrieved October 4, 2004 from the World Wide Web: <http://www.naral.org>.
- National Association for Children of Alcoholics, & National Clearinghouse for Alcohol and Drug Information. (2002). *Children of alcoholics: Important facts*. [On-line]. Retrieved September 30, 2002 from the World Wide Web: <http://www.health.org>.
- National Cancer Institute, & California Environmental Protection Agency. (1999). *Health effects of exposure to environmental tobacco smoke: The report of the California Environmental Protection Agency* (NIH Pub. No. 99-4645). Bethesda, MD: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute.
- National Center for Chronic Disease Prevention and Health Promotion. (2001). *Cigarette smoking-related mortality*. [On-line]. from the World Wide Web: <http://www.cdc.gov/tobacco>.
- National Center for Health Statistics. (1994). *Teenage Attitudes and Practices Survey II, 1993*. Ann Arbor, MI: Inter-university Consortium for Political and Social Research.

- National Center for Health Statistics. (1998). *Ten leading causes of death, United States: 1998, all races, both sexes*. [On-line]. Retrieved March 19, 2001 from the World Wide Web: <http://www.webapp.cdc.gov>.
- National Clearinghouse for Alcohol and Drug Information. (1995). *Making the link: Alcohol, tobacco, and other drugs and pregnancy and parenthood*. [On-line]. Retrieved October 12, 2002 from the World Wide Web: <http://www.health.org>.
- National Commission on Marihuana and Drug Abuse. (1973). *Drug use in America: Problem in perspective: Second report*. Washington, DC: U.S. Government Printing Office.
- National Drug Intelligence Center. (2001). *Drugs and the internet: An overview of the threat to America's youth*. [On-line]. Retrieved March 5, 2004 from the World Wide Web: <http://www.gpo.gov>.
- National Highway Traffic Safety Administration, National Center for Statistics and Analysis. (2002). *Traffic safety facts 2001: Alcohol [Fact sheet] (DOT HS 809 470)*. Washington, DC: U.S. Department of Transportation, National Highway Traffic Safety Administration, National Center for Statistics and Analysis.
- National Institute of Child Health and Human Development. (2004). *Contraception and Reproductive Health Branch (NICHD): Report to the NACHHD Council*. [On-line]. Retrieved February 9, 2004 from the World Wide Web: <http://www.nichd.nih.gov>.
- National Institute on Alcohol Abuse and Alcoholism. (1990). Alcohol and women. *Alcohol Alert, 10*.
- National Institute on Alcohol Abuse and Alcoholism. (1994). Alcohol and hormones. *Alcohol Alert, 26*.
- National Institute on Alcohol Abuse and Alcoholism. (1999). Alcohol and coronary heart disease. *Alcohol Alert, 45*.
- National Institute on Alcohol Abuse and Alcoholism. (1999). Are women more vulnerable to alcohol's effects? *Alcohol Alert, 46*.
- National Institute on Alcohol Abuse and Alcoholism. (2000). Health risks and benefits of alcohol consumption. *Alcohol Research and Health, 24*(1), 5-11.
- National Institute on Alcohol Abuse and Alcoholism. (2000). *Tenth special report to Congress on alcohol and health: Highlights from current research* (NIH Pub. No. 00-1583). Rockville, MD: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute on Alcohol Abuse and Alcoholism.
- National Institute on Alcohol Abuse and Alcoholism. (2003). *Alcohol: A women's health issue* (NIH Pub. No. 03-4956). Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Alcohol Abuse and Alcoholism.

- National Institute on Alcohol Abuse and Alcoholism. (2003). *FAQ's on alcohol abuse and alcoholism*. [On-line]. Retrieved February 6, 2004 from the World Wide Web: <http://www.niaaa.nih.gov>.
- National Institute on Alcohol Abuse and Alcoholism. (2003). *State of the science report on the effects of moderate drinking*. [On-line]. Retrieved March 9, 2004 from the World Wide Web: <http://www.niaaa.nih.gov>.
- National Institute on Drug Abuse. (1996). *National pregnancy and health survey: Drug use among women delivering livebirths, 1992* (NIH Pub. No. 96-3819). Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- National Institute on Drug Abuse. (1999). *Principles of drug addiction treatment: A research based guide* (NIH Pub. No. 99-4180). Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- National Institute on Drug Abuse. (2000). Gender differences in drug abuse risks and treatment. *NIDA Notes*, 15(4), 6-7.
- National Institute on Drug Abuse. (2000). *NIDA research report: Heroin abuse and addiction*. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- National Institute on Drug Abuse. (2001). *NIDA research report: Prescription drugs: Abuse and addiction* (NIH Pub. No. 01-4881). Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse.
- National Institute on Drug Abuse. (2001). *Quitting smoking harder for women than for men: Review of research finds variety of reasons for why it is harder for women to break free of nicotine addiction [Press release]*. [On-line]. Retrieved June 13, 2001 from the World Wide Web: <http://165.112.78.61>.
- National Institute on Drug Abuse. (2002). *Advances in research on women's health and gender differences*. [On-line]. Retrieved March 15, 2002 from the World Wide Web: <http://www.drugabuse.gov>.
- National Institute on Drug Abuse. (2002). *NIDA infofacts: Marijuana*. [On-line]. Retrieved October 26, 2001 from the World Wide Web: <http://www.nida.nih.gov>.
- National Institute on Drug Abuse. (2002). *Overview of NIDA research on women's health and gender differences*. [On-line]. Retrieved March 17, 2002 from the World Wide Web: <http://www.drugabuse.gov>.
- National Institute on Drug Abuse. (2003). *NIDA infofacts: Prescription drugs and pain medications*. [On-line]. Retrieved March 5, 2004 from the World Wide Web: <http://www.drugabuse.gov>.
- National Institutes of Health. (2001). *In harm's way: Suicide in America* (NIH Pub. No. 01-4594). Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health.

- National Institutes of Health. (2002). *Significant deficits in mental skills observed in toddlers exposed to cocaine before birth [Press release]*. [On-line]. Retrieved March 4, 2004 from the World Wide Web: <http://www.nih.gov>.
- National Women's Law Center, & Oregon Health and Science University. (2003). *Women and smoking: A national and state-by-state report card*. Washington, DC: National Women's Law Center, Oregon Health and Science University.
- Nelson, H. D., Nevitt, M. C., Scott, J. C., Stone, K. L., & Cummings, S. R. (1994). Smoking, alcohol, and neuromuscular and physical function of older women. *JAMA*, 272(23), 1825-1832.
- Ness, R. B., Grisso, J. A., Hirschinger, N., Marcovic, N., Shaw, L. M., Day, N. L., et al. (1999). Cocaine and tobacco use and the risk of spontaneous abortion. *New England Journal of Medicine*, 340(5), 333-339.
- New York City Department of Health and Mental Hygiene, Office of Communications. (2004). *New York City's smoking rate declines rapidly from 2002 to 2003, the most significant one-year drop ever recorded [Press release]*. [On-line]. from the World Wide Web: <http://www.nyc.gov>.
- Ng, C., & Dakake, B. (2002). *Tobacco at the movies: Tobacco use in PG-13 films*. [On-line]. Retrieved October 31, 2002 from the World Wide Web: <http://masspirg.org>.
- Nixon, S. J. (1994). Cognitive deficits in alcoholic women. *Alcohol Health and Research World*, 18(3), 228-232.
- Noel, N. E., & Lisman, S. A. (1980). Alcohol consumption by college women following exposure to unsolvable problems: Learning helplessness or stress-induced drinking. *Behavior Research and Therapy*, 18(5), 429-440.
- Nolen-Hoeksema, S. (2001). Gender differences in depression. *Current Directions in Psychological Science*, 10(5), 173-176.
- Noller, P. (1995). Parent-adolescent relationships. In M. A. Fitzpatrick & A. L. Vangelisti (Eds.), *Explaining family interactions* (pp. 77-111). Thousand Oaks, CA: Sage.
- Obernier, J. A., Bouldin, T. W., & Crews, F. T. (2002). Binge ethanol exposure in adult rats causes necrotic cell death. *Alcoholism: Clinical and Experimental Research*, 26(4), 547-557.
- O'Campo, P., Faden, R. R., Brown, H., & Gielen, A. C. (1992). The impact of pregnancy on women's prenatal and postpartum smoking behavior. *American Journal of Preventive Medicine*, 8(1), 8-13.
- O'Connor, P. G., & Spickard, A. (1997). Physician impairment by substance abuse. *Medical Clinics of North America*, 81(4), 1037-1052.
- Of smoking bans and heart attacks [Editorial]. (2004, April 27). *New York Times*, Pg. A24.

- Office of Inspector General. (1991). *Youth and alcohol: A national survey, drinking habits, access, attitudes, and knowledge*. Washington, DC: U.S. Department of Health and Human Services, Office of Inspector General.
- Office of National Drug Control Policy, & National Youth Anti-Drug Media Campaign. (2002). *Investing in our nation's youth: The National Youth Anti-Drug Media Campaign surpasses expectations in phase II [Press release]*. [On-line]. Retrieved June 11, 2002 from the World Wide Web: <http://www.mediacampaign.org>.
- Office of National Drug Control Policy, & Substance Abuse and Mental Health Services Administration. (1999). *Substance use in popular movies and music*. [On-line]. Retrieved December 4, 2001 from the World Wide Web: <http://www.mediacampaign.org>.
- Office of National Drug Control Policy. (2002). *Ad gallery: Jessica Simpson*. [On-line]. Retrieved October 12, 2004 from the World Wide Web: <http://www.mediacampaign.org>.
- Office of the Surgeon General. (1980). *The health consequences of smoking for women: A report of the Surgeon General*. Washington, DC: U.S. Department of Health and Human Services, Public Health Service, Office of the Assistant Secretary for Health, Office on Smoking and Health.
- Office of the Surgeon General. (1989). *Reducing the health consequences of smoking: 25 years of progress: A report of the Surgeon General* (DHHS Pub. No. (CDC) 89-8411). Washington, DC: U.S. Government Printing Office.
- Office of the Surgeon General. (1990). *Health benefits of smoking cessation: A report of the Surgeon General 1990* (GPO Item No. 483-L-6). Washington, DC: U.S. Government Printing Office.
- Office of the Surgeon General. (1994). *Preventing tobacco use among young people: A report of the Surgeon General*. Washington, DC: U.S. Government Printing Office.
- Office of the Surgeon General. (2000). *Tobacco advertising and promotion: The Surgeon General's report on reducing tobacco use [Fact sheet]*. [On-line]. Retrieved March 29, 2004 from the World Wide Web: <http://www.cdc.gov/tobacco/sgr>.
- Office of the Surgeon General. (2001). *Marketing cigarettes to women [Fact sheet]*. [On-line]. Retrieved February 27, 2004 from the World Wide Web: <http://www.cdc.gov>.
- Office of the Surgeon General. (2001). *Women and smoking: A report of the Surgeon General* (GPO Item No. 0483-L-06). Washington, DC: U.S. Government Printing Office.
- Olney, J. W. (2004, February). *Perinatal drug/alcohol exposure and neuronal suicide: Public health implications*. Paper presented at the 2004 Meeting of the American Association for the Advancement of Science, Seattle, WA: American Association for the Advancement of Science.
- O'Loughlin, J. L., Robitaille, Y., Boivin, J. F., & Suissa, S. (1993). Incidence of and risk factors for falls and injurious falls among the community-dwelling elderly. *American Journal of Epidemiology*, 137(3), 342-354.

- Oscar-Berman, M., Shagrin, B., Evert, D. L., & Epstein, C. (1997). Impairments of brain and behavior: The neurological effects of alcohol. *Alcohol Health and Research World*, 21(1), 65-75.
- Ozegovic, J. J., Bikos, L. H., & Szymanski, D. M. (2001). Trends and predictors of alcohol use among undergraduate female students. *Journal of College Student Development*, 42(5), 447-455.
- Pacific Institute for Research and Evaluation, Levy, D. T., Miller, T. R., & Cox, K. C. (1999). *Costs of underage drinking: Updated edition*. Calverton, MD: Pacific Institute for Research and Evaluation.
- Pacific Institute for Research and Evaluation., Mosher, J. F., & Stewart, K. (1999). *Regulatory strategies for preventing youth access to alcohol: Best practices*. Calverton, MD: Pacific Institute for Research and Evaluation.
- Painter, K. (1988, November 18). Labels to warn pregnant women. *USA Today*, Pg. 1D.
- Parent, E. C., & Newman, D. L. (1999). The role of sensation-seeking in alcohol use and risk-taking behavior among college women. *Journal of Alcohol and Drug Education*, 44(2), 12-28.
- Parker, S., Zuckerman, B., Bauchner, H., Frank, D., Vinci, R., & Cabral, H. (1990). Jitteriness in full-term neonates: Prevalence and correlates. *Pediatrics*, 85(1), 17-23.
- Partnership for a Drug-Free America. (2000). *Partnership Attitude Tracking Study 1999: Parents*. [On-line]. Retrieved April 15, 2002 from the World Wide Web: <http://www.drugfreeamerica.org>.
- Partnership for a Drug-Free America. (2002). *Campaign viewer: Cause of death: Ecstasy*. [On-line]. Retrieved October 12, 2004 from the World Wide Web: <http://www.drugfreeamerica.org>.
- Patel, J. D., Bach, P. B., & Kris, M. G. (2004). Lung cancer in US women: A contemporary epidemic. *JAMA*, 291(14), 1763-1768.
- Patterson, T. L., & Jeste, D. V. (1999). The potential impact of the baby-boom generation on substance abuse among elderly persons. *Psychiatric Services*, 50(9), 1184-1188.
- Paulus, D., Saint-Remy, A., & Jeanjean, M. (2000). Oral contraception and cardiovascular risk factors during adolescence. *Contraception*, 62(3), 113-116.
- Pedersen, W., & Skrondal, A. (1996). Alcohol and sexual victimization: A longitudinal study of Norwegian girls. *Addiction*, 91(4), 565-581.
- Pedersen, W., Mastekaasa, A., & Wichstrøm, L. (2001). Conduct problems and early cannabis initiation: A longitudinal study of gender differences. *Addiction*, 96(3), 415-431.
- Perkins, K. A. (1995). Individual variability in responses to nicotine. *Behavior Genetics*, 25(2), 119-132.

- Perkins, K. A. (2001). Smoking cessation in women: Special considerations. *CNS Drugs*, *15*(5), 391-411.
- Perkins, K. A., Marcus, M. D., Levine, M. D., D'Amico, D., Miller, A., Broge, M., et al. (2001). Cognitive-behavioral therapy to reduce weight concerns improves smoking cessation outcome in weight-concerned women. *Journal of Consulting and Clinical Psychology*, *69*(4), 604-613.
- Petersen, A. C., & Hamburg, B. A. (1986). Adolescence: A developmental approach to problems and psychopathology. *Behavior Therapy*, *17*(5), 480-499.
- Peterson, P. L., Hawkins, J. D., Abbott, R. D., & Catalano, R. F. (1994). Disentangling the effects of parental drinking, family management, and parental alcohol norms on current drinking by black and white adolescents. *Journal of Research on Adolescence*, *4*(2), 203-227.
- Pierce, J. P., & Gilpin, E. A. (1995). A historical analysis of tobacco marketing and the uptake of smoking by youth in the United States: 1890-1977. *Health Psychology*, *14*(6), 500-508.
- Pierce, J. P., Choi, W. S., Gilpin, E. A., Farkas, A. J., & Berry, C. C. (1998). Tobacco industry promotion of cigarettes and adolescent smoking. *JAMA*, *279*(7), 511-515.
- Pierce, J. P., Lee, L., & Gilpin, E. A. (1994). Smoking initiation by adolescent girls, 1944 through 1988. *JAMA*, *271*(8), 608-611.
- Pincus, H. A., Tanielian, T. L., Marcus, S. C., Olfson, M., Zarin, D. A., Thompson, J., et al. (1998). Prescribing trends in psychotropic medications: Primary care, psychiatry, and other medical specialties. *JAMA*, *279*(7), 526-531.
- Pinkus, R. L. (2002). From Lydia Pinkham to Bob Dole: What the changing face of direct-to-consumer drug advertising reveals about the professionalism of medicine. *Kennedy Institute of Ethics Journal*, *12*(2), 141-158.
- Pipher, M. B. (1994). *Reviving Ophelia: Saving the selves of adolescent girls*. New York: Putnam.
- Pollack, H., Lantz, P. M., & Frohna, J. G. (2000). Maternal smoking and adverse birth outcomes among singletons and twins. *American Journal of Public Health*, *90*(3), 395-400.
- Pomerleau, C. C., Berman, B. A., Gritz, E. R., Marks, J. L., & Goeters, S. (1994). Why women smoke. In R. R. Watson (Ed.), *Addictive behaviors in women* (pp. 39-70). Totowa, NJ: Humana Press.
- Pomerleau, O. F., Collins, A. C., Shiffman, S., & Pomerleau, C. S. (1993). Why some people smoke and others do not: New perspectives. *Journal of Consulting and Clinical Psychology*, *61*(5), 723-731.
- Potter, S. M., Zelazo, P. R., Stack, D. M., & Papageorgiou, A. N. (2000). Adverse effects of fetal cocaine exposure on neonatal auditory information processing. *Pediatrics*, *105*(3), e40.

- Potterat, J. J., Rothenberg, R. B., Muth, S. Q., Darrow, W. W., & Phillips-Plummer, L. (1998). Pathways to prostitution: The chronology of sexual and drug abuse milestones. *Journal of Sex Research, 35*(4), 333-340.
- Prendergast, M. L., Wellisch, J., & Falkin, G. P. (1995). Assessment of and services for substance-abusing women offenders in community and correctional settings. *Prison Journal, 75*(2), 240-256.
- Prescott, C. A., Aggen, S. H., & Kendler, K. S. (1999). Sex differences in the sources of genetic liability to alcohol abuse and dependence in a population-based sample of U.S. twins. *Alcoholism: Clinical and Experimental Research, 23*(7), 1136-1144.
- Prescott, C. A., Aggen, S. H., & Kendler, K. S. (2000). Sex-specific genetic influences on the comorbidity of alcoholism and major depression in a population-based sample of US twins. *Archives of General Psychiatry, 57*(8), 803-811.
- Prescott, C. A., Caldwell, C. B., Carey, G., Vogler, G. P., Trumbetta, S. L., & Gottesman, I. I. (2005). The Washington twin study of alcoholism. *American Journal of Medical Genetics. Part B, Neuropsychiatric Genetics, 134*(1), 48-55.
- Preusser, D. F., & William, A. F. (1992). Sales of alcohol to underage purchasers in three New York counties and Washington, D.C. *Journal of Public Health Policy 13* (3) 306-317.
- Prevention of Fetal Alcohol Syndrome (FAS) and Fetal Alcohol Effects (FAE) in Canada. (1997). *Paediatric and Child Health, 2* (2), 143-145.
- Princeton Survey Research Associates. (1996). *The 1996 Kaiser Family Foundation survey on teens and sex: What they say teens today need to know and who they listen to*. Menlo Park, CA: Henry J. Kaiser Family Foundation.
- Prokopčáková, A. (1998). Drug experimenting and pubertal maturation in girls. *Studia Psychologica, 40*(4), 287-290.
- Public Broadcasting Service. (2001). *American experience: The pill: People and events*. [Online]. Retrieved April 28, 2004 from the World Wide Web: <http://www.pbs.org>.
- Pulkkinen, L., & Pitkanen, T. (1994). A prospective study of the precursors to problem drinking in young adulthood. *Journal of Studies on Alcohol, 55*(5), 578-587.
- Puzzanchera, C., Stahl, A. L., Finnegan, T. A., Tierney, N., & Snyder, H. N. (2003). *Juvenile court statistics 1999: Celebrating 100 years of the juvenile court, 1899-1999* (NCJ Pub. No. 201241). Pittsburgh, PA: National Center for Juvenile Justice.
- Rada, R. T. (1975). Alcoholism and forcible rape. *American Journal of Psychiatry, 132*(4), 444-446.
- Ramirez, A. G., & Gallion, K. J. (1993). Nicotine dependence among blacks and Hispanics. In C. T. Orleans & J. Slade (Eds.), *Nicotine addiction: Principles and management* (pp. 350-364). New York: Oxford University Press.

- Ratner, M. S. (1993). *Crack pipe as pimp: An ethnographic investigation of sex-for-crack exchanges*. New York: Lexington Books.
- Ray, W. A., Fought, R. L., & Decker, M. D. (1992). Psychoactive drugs and the risk of injurious motor vehicle crashes in elderly drivers. *American Journal of Epidemiology*, *136*(7), 873-883.
- Ray, W. A., Griffin, M. R., & Downey, W. (1989). Benzodiazepines of long and short elimination half-life and the risk of hip fracture. *JAMA*, *262*(23), 3303-3307.
- Read, C. R. (1991). Gender distribution in programs for the gifted. *Roeper Review*, *13*(4), 188-193.
- Realbeer.com. (2003). *Interbrew wants more women drinkers: Meanwhile, Molson extends "twins" ads approach*. [On-line]. Retrieved February 12, 2004 from the World Wide Web: <http://realbeer.com>.
- Reifman, A., Barnes, G. M., Dintcheff, B. A., Farrell, M. P., & Uhteg, L. (1998). Parental and peer influences on the onset of heavier drinking among adolescents. *Journal of Studies on Alcohol*, *59*(3), 311-317.
- Reinherz, H. Z., Giaconia, R. M., Hauf, A. M. C., Wasserman, M. S., & Paradis, A. D. (2000). General and specific childhood risk factors for depression and drug disorders by early adulthood. *Journal of the American Academy of Child and Adolescent Psychiatry*, *39*(2), 223-231.
- Resnick, M. D., Bearman, P. S., Blum, R. W., Bauman, K. E., Harris, K. M., Jones, J., et al. (1997). Protecting adolescents from harm: Findings from the National Longitudinal Study on Adolescent Health. *JAMA*, *278*(10), 823-832.
- Rhodes, J. E., & Jason, L. (1988). *Preventing substance abuse among children and adolescents*. New York: Pergamon Press.
- Ribisl, K. M., Williams, R. S., & Kim, A. E. (2003). Internet sales of cigarettes to minors. *JAMA*, *290*(10), 1356-1359.
- Richardson, G. A., Hamel, S. C., Goldschmidt, L., & Day, N. L. (1999). Growth of infants prenatally exposed to cocaine/crack: Comparison of a prenatal care and a no prenatal care sample. *Pediatrics*, *104*(2), e18.
- Richardson, V. E., & Kilty, K. M. (1995). Gender differences in mental health: Before and after retirement: A longitudinal analysis. *Journal of Women and Aging*, *7*(1/2), 19-35.
- Rich-Edwards, J. W., Manson, J. E., Hennekens, C. H., & Buring, J. E. (1995). The primary prevention of coronary heart disease in women. *New England Journal of Medicine*, *332*(26), 1758-1766.
- Richter, L., & Richter, D. M. (2001). Exposure to parental tobacco and alcohol use: Effects on children's health and development. *American Journal of Orthopsychiatry*, *71*(2), 182-203.

- Richter, L., Vaughan, R. D., & Foster, S. E. (2004). Public attitudes about underage drinking policies: Results from a national survey. *Journal of Public Health Policy*, 25(1), 58-77.
- Rigotti, N. A., Lee, J. E., & Wechsler, H. (2000). US College students' use of tobacco products: Results of a national survey. *JAMA*, 284(6), 699-705.
- Ringel, J. S., & Evans, W. N. (2001). Cigarette taxes and smoking during pregnancy. *American Journal of Public Health*, 91(11), 1851-1856.
- Robbins, C. A. (1991). Social roles and alcohol abuse among older men and women. *Family and Community Health*, 13(4), 37-48.
- Roberts, D. F., & Christenson, P. G. (2000). *"Here's looking at you, kid": Alcohol, drugs and tobacco in the entertainment media: A literature review prepared by the National Center on Addiction and Substance Abuse at Columbia University*. Menlo Park, CA: Henry J. Kaiser Family Foundation.
- Roberts, L. W., & Dunn, L. B. (2003). Ethical considerations in caring for women with substance use disorders. *Obstetrics and Gynecology Clinics of North America*, 30(3), 559-582.
- Robinson, L. A., & Klesges, R. C. (1997). Ethnic and gender differences in risk factors for smoking onset. *Health Psychology*, 16(6), 499-505.
- Rodgers-Farmer, A. Y. (2000). Parental monitoring and peer group association: Their influence on adolescent substance use. *Journal of Social Service Research*, 27(2), 1-18.
- Rose, R. J. (1998). A developmental behavior-genetic perspective on alcoholism risk. *Alcohol Health and Research World*, 22(2), 131-143.
- Rosenberg, L., Palmer, J. R., & Shapiro, S. (1990). Decline in the risk of myocardial infarction among women who stop smoking. *New England Journal of Medicine*, 322(4), 213-217.
- Rosenthal, M. B., Berndt, E. R., Donohue, J. M., Frank, R. G., & Epstein, A. M. (2002). Promotion of prescription drugs to consumers. *New England Journal of Medicine*, 346(7), 498-505.
- Roswell Park Cancer Institute. (2004). *The Tobacco Institute: Roots in the Tobacco Industry Research Committee*. [On-line]. Retrieved April 26, 2004 from the World Wide Web: <http://roswell.tobaccodocuments.org>.
- Rounds-Bryant, J. L., Kristiansen, P. L., Fairbank, J. A., & Hubbard, R. L. (1998). Substance use, mental disorders, abuse, and crime: Gender comparisons among a national sample of adolescent drug treatment clients. *Journal of Child and Adolescent Substance Abuse*, 7(4), 19-34.
- Royce, J. M., Hymowitz, N., Corbett, K., Hartwell, T. D., & Orlandi, M. A. (1993). Smoking cessation factors among African Americans and whites. *American Journal of Public Health*, 83(2), 220-226.

- Sacco, R. L., Elkind, M., Boden-Albada, B., Lin, I. F., Kargman, D. E., Hauser, W. A., et al. (1999). The protective effect of moderate alcohol consumption on ischemic stroke. *JAMA*, 281(1), 53-60.
- Samet, J. M., & Yoon, S.-Y. (Eds.). (2001). *Women and the tobacco epidemic: Challenges for the 21st century*. Geneva, Switzerland: World Health Organization, Johns Hopkins School of Health, Institute for Global Tobacco Control.
- Sampson, H. W. (1998). Alcohol's harmful effects on bone. *Alcohol Health and Research World*, 22(3), 190-194.
- Samuels, S. C. (1997). Midlife crisis: Helping patients cope with stress, anxiety, and depression. *Geriatrics*, 52(7), 55-56.
- Sandmaier, M. (1992). *The invisible alcoholics: Women and alcohol* (2nd ed.). Blue Ridge Summit, PA: TAB Books.
- Santor, D. A., Messervey, D., & Kusumaker, V. (2000). Measuring peer pressure, popularity, and conformity in adolescent boys and girls: Predicting school performance, sexual attitudes, and substance abuse. *Journal of Youth and Adolescence*, 29(2), 163-182.
- Sargent, J. D., & Dalton, M. (2001). Does parental disapproval of smoking prevent adolescents from becoming established smokers? *Pediatrics*, 108(6), 1256-1262.
- Sargent, J. D., Beach, M. L., Dalton, M. A., Mott, L. A., Tickle, J. J., Ahrens, M. B., et al. (2001). Effect of seeing tobacco use in films on trying smoking among adolescents: Cross sectional study. *British Medical Journal*, 323(7326), 1394-1397.
- Sargent, R. P., Shepard, R. M., & Glantz, S. A. (2004). Reduced incidence of admissions for myocardial infarction associated with public smoking ban: Before and after study. *British Medical Journal*, 328(7446), 977-980.
- Sarigiani, P. A., Ryan, L., & Petersen, A. C. (1999). Prevention of high-risk behaviors in adolescent women. *Journal of Adolescent Health*, 25(2), 109-119.
- Sarna, L., & Bialous, S. A. (2004). Why tobacco is a women's health issue. *Nursing Clinics of North America*, 39(Pt. 1), 165-180.
- Schave, D., & Schave, B. (1989). *Early adolescence and the search for self*. New York: Praeger.
- Schmeck, H. M. (1971, January 12). Surgeon General urges battle to dissuade women smokers. *New York Times*, Pg. 17.
- Schoen, C., Davis, K., Collins, K. S., Greenberg, L., Des Roches, C., & Abrams, M. (1997). *The Commonwealth Fund survey of the health of adolescent girls*. New York: Commonwealth Fund.
- Schoenbaum, M. (1997). Do smokers understand the mortality effects of smoking? Evidence from the health and retirement survey. *American Journal of Public Health*, 87(5), 755-759.

- Schoenborn, C. A., & Adams, P. F. (2002). *Alcohol use among adults: United States, 1997-98: Advance data no. 324* (DHHS Pub. No. (PHS) 2001-1250). Hyattsville, MD: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Health Statistics.
- Schonfeld, L., & Dupree, L. W. (1995). Treatment approaches for older problem drinkers. *International Journal of the Addictions, 30*(13-14), 1819-1842.
- Schorr, B. (1982, May 11). Should cigaret warnings be even tougher? *Wall Street Journal*, Pg. 30.
- Schuckit, M. A., Smith, T. L., Kalmijn, J., Tsuang, J., Hesselbrock, V., & Bucholz, K. (2000). Response to alcohol in daughters of alcoholics: A pilot study and a comparison with sons of alcoholics. *Alcohol and Alcoholism, 35*(3), 242-248.
- Schultz, S. K., Arndt, S., & Liesveld, J. (2003). Locations of facilities with special programs for older substance abuse clients in the US. *International Journal of Geriatric Psychiatry, 18*(9), 839-843.
- Schuster, M. A., Franke, T., & Pham, C. B. (2002). Smoking patterns of household members and visitors in homes with children in the United States. *Archives of Pediatrics and Adolescent Medicine, 156*(11), 1094-1100.
- Scott, R. B., & Mitchell, M. C. (1988). Aging, alcohol, and the liver. *Journal of the American Geriatrics Society, 36*(3), 255-265.
- Seddon, J. M., Willett, W. C., Speizer, F. E., & Hankinson, S. E. (1996). A prospective study of cigarette smoking and age-related macular degeneration in women. *JAMA, 276*(14), 1141-1146.
- Seguire, M., & Chalmers, K. I. (2000). Late adolescent female smoking. *Journal of Advanced Nursing, 31*(6), 1422-1429.
- Sempos, C. T., Rehm, J., Crespo, C., & Trevisan, M. (2002). No protective effect of alcohol consumption on coronary heart disease (CHD) in African Americans: Average volume of drinking over the life course and CHD morbidity and mortality in a U.S. national cohort. *Contemporary Drug Problems, 29*(4), 805-820.
- Sepe, E., Ling, P. M., & Glantz, S. A. (2002). Smooth moves: Bar and nightclub tobacco promotions that target young adults. *American Journal of Public Health, 92*(3), 414-419.
- Shafer, M., & Boyer, C. B. (1991). Psychosocial and behavioral factors associated with risk of sexually transmitted diseases, including human immunodeficiency virus infection, among urban high school students. *Journal of Pediatrics, 119*(5), 826-833.
- Sheahan, S. L., Hendricks, J., & Coons, S. J. (1989). Drug misuse among the elderly: A covert problem. *Health Values, 13*(3), 22-29.
- Shedler, J., & Block, J. (1990). Adolescent drug use and psychological health: A longitudinal inquiry. *American Psychologist, 45*(5), 612-630.

- Sherer, D. M., Anyaegbunam, A., & Onyeije, C. (1998). Antepartum fetal intracranial hemorrhage, predisposing factors and prenatal sonography: A review. *American Journal of Perinatology*, 15(7), 431-441.
- Shillington, A. M., & Clapp, J. D. (2003). Adolescents in public substance abuse treatment programs: The impacts of sex and race on referrals and outcomes. *Journal of Child and Adolescent Substance Abuse*, 12(4), 69-91.
- Shopland, D. R., & Office of the Surgeon General. (1983). *The health consequences of smoking: Cardiovascular disease: A report of the Surgeon General* (DHHS Pub. No. (PHS) 84-50204). Washington, DC: U.S. Government Printing Office.
- Simantov, E., Schoen, C., & Klein, J. (2000). Health-compromising behaviors: Why do adolescents smoke or drink? *Archives of Pediatrics and Adolescent Medicine*, 154(10), 1025-1033.
- Simons-Morton, B. (2004). Prospective association of peer influence, school engagement, drinking expectancies, and parent expectations with drinking initiation among sixth graders. *Addictive Behaviors*, 29 (2), 299-309.
- Simons-Morton, B., Haynie, D. L., Crump, A. D., & Saylor, K. E. (2001). Peer and parent influences on smoking and drinking among early adolescents. *Health Education and Behavior*, 28(1), 95-107.
- Simpson, T. L. (2002). Women's treatment utilization and its relationship to childhood sexual abuse history and lifetime PTSD. *Substance Abuse*, 23(1), 17-30.
- Singer, M. I., Petchers, M. K., & Hussey, D. (1989). The relationship between sexual abuse and substance abuse among psychiatrically hospitalized adolescents. *Child Abuse and Neglect*, 13(3), 319-325.
- Slemenda, C. W. (1994). Cigarettes and the skeleton. *New England Journal of Medicine*, 330(6), 430.
- Slotkin, T. A. (1998). Fetal nicotine or cocaine exposure: Which one is worse? *Journal of Pharmacology and Experimental Therapeutics*, 285(3), 931-945.
- Slutske, W. S., Heath, A. C., Dinwiddie, S. H., Madden, P. A. F., Bucholz, K. K., Dunne, M. P., et al. (1998). Common genetic risk factors for conduct disorder and alcohol dependence. *Journal of Abnormal Psychology*, 107(3), 363-374.
- Slutske, W. S., Piasecki, T. M., & Hunt-Carter, E. E. (2003). Development and initial validation of the Hangover Symptoms Scale: Prevalence and correlates of hangover symptoms in college students. *Alcoholism: Clinical and Experimental Research*, 27(9), 1442-1450.
- Smokefree.net. (2003). *Smokefree.net Website*. [On-line]. Retrieved February 27, 2004 from the World Wide Web: <http://www.smokefree.net/>.
- Snell, T. L., & Morton, D. C. (1994). *Survey of state prison inmates, 1991: Women in prison*. Washington, DC: U.S. Department of Justice, Office of Justice Programs, Bureau of Justice Statistics.

- Snyder, H. N. (2002). *Juvenile arrests 2000* (NCJ Pub. No. 191729). Washington, DC: U.S. Department of Justice, Office of Justice Programs, Office of Juvenile Justice and Delinquency Prevention.
- Solomon, K., Manepalli, J., Ireland, G. A., & Mahon, G. M. (1993). Alcoholism and prescription drug abuse in the elderly: St. Louis University Grand Rounds. *Journal of the American Geriatric Society, 41*(1), 57-69.
- Solomon, L. J., & Flynn, B. S. (1993). Women who smoke. In C. T. Orleans & J. Slade (Eds.), *Nicotine addiction: Principles and management* (pp. 339-349). New York: Oxford University Press.
- Sood, A. K. (1991). Cigarette smoking and cervical cancer: Meta-analysis and critical review of recent studies. *American Journal of Preventive Medicine, 7*(4), 208-213.
- Sood, B., Delaney-Black, V., Covington, C., Nordstrom-Klee, B., Ager, J., Templin, T., et al. (2001). Prenatal alcohol exposure and childhood behavior at age 6 to 7 years: I. Dose-response effect. *Pediatrics, 108*(2), E34.
- Sparks, A. (1897). Alcoholism in women. *Medico-Legal Journal, 15*, 219.
- Stallones, L., Marx, M. B., & Garrity, T. F. (1990). Prevalence and correlates of depressive symptoms among older U.S. adults. *American Journal of Preventive Medicine, 6*(5), 295-303.
- Stein, J., Newcomb, M., & Bentler, P. (1996). Initiation and maintenance of tobacco smoking: Changing personality correlates in adolescence and young adulthood. *Journal of Applied Social Psychology, 26*(2), 160-187.
- Steinberg, L., Fletcher, A., & Darling, N. (1994). Parental monitoring and peer influences on adolescent substance use. *Pediatrics, 93*(6, Pt. 2), 1060-1064.
- Stewart, D., Gossop, M., Marsden, J., Kidd, T., & Treacy, S. (2003). Similarities in outcomes for men and women after drug misuse treatment: Results from the National Treatment Outcome Research Study (NTORS). *Drug and Alcohol Review, 22*(1), 35-41.
- Stewart, S. H., Agelopoulos, M., Baker, J. M., & Boland, F. J. (2000). Relations between dietary restraint and patterns of alcohol use in young adult women. *Psychology of Addictive Behaviors, 14*(1), 77-82.
- Stice, E., Presness, K., & Bearman, S. K. (2001). Relation of early menarche to depression, eating disorders, substance abuse, and comorbid psychopathology among adolescent girls. *Developmental Psychology, 37*(5), 608-619.
- Stranges, S., Freudenheim, J. L., Muti, P., Farinaro, E., Russell, M., Nochajski, T. H., et al. (2004). Differential effects of alcohol drinking pattern on liver enzymes in men and women. *Alcoholism: Clinical and Experimental Research, 28*(6), 949-956.
- Straus, R. (1986). Alcohol problems among the elderly: The need for a biobehavioral perspective. In G. Maddox, L. N. Robins, & N. Rosenberg (Eds.), *Nature and extent of alcohol problems among the elderly* (pp. 9-28). New York: Springer.

- Straussner, S. L. A., & Attia, P. R. (2002). Women's addiction and treatment through a historical lens. In S. L. A. Straussner & S. Brown (Eds.), *The handbook of addiction treatment for women* (pp. 3-25). San Francisco: Jossey-Bass.
- Straussner, S. L. A., & Brown, S. (Eds.). (2002). *The handbook of addiction treatment for women*. San Francisco: Jossey-Bass.
- Streissguth, A. P., Barr, H. M., & Sampson, P. D. (1990). Moderate prenatal alcohol exposure: Effects on child IQ and learning problems at age 7 1/2 years. *Alcoholism: Clinical and Experimental Research*, *14*(5), 662-669.
- Streissguth, A. P., Barr, H. M., Bookstein, F. L., Sampson, P. D., & Olson, H. C. (1999). The long-term neurocognitive consequences of prenatal alcohol exposure: A 14-year study. *Psychological Science*, *10* (3), 186-190.
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (1997). *Substance use among women in the United States* (DHHS Pub. No. (SMA) 97-3162). Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2000). *Uniform Facility Data Set (UFDS) 1998: Data on substance abuse treatment facilities* (DHHS Pub. No. (SMA) 99-3463). Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2001). *The NHSDA report: Substance use among older adults*. [On-line]. Retrieved March 11, 2004 from the World Wide Web: <http://ncadi.samhsa.gov/>.
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2001). *How men and women enter substance abuse treatment: The DASIS report*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2001). *Coerced treatment among youths: 1993 to 1998: The DASIS report*. [On-line]. Retrieved 2002 from the World Wide Web: <http://www.samhsa.gov>.
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2001). *Women in substance abuse treatment: The DASIS report*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2001). *Older adults in substance abuse treatment: The DASIS report*. [On-line]. Retrieved March 23, 2004 from the World Wide Web: <http://www.samhsa.gov>.
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2002). *Results from the 2001 National Household Survey on Drug Abuse: Volume I: Summary of national findings* (DHHS Pub. No. (SMA) 02-3758). Rockville, MD: U.S. Department of

Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2002). *Results from the 2001 National Household Survey on Drug Abuse: Volume II: Technical appendices and selected data tables* (DHHS Pub. No. (SMA) 02-3759). Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2002). *Low rates of alcohol use among Asian youths: The NHSDA report [Fact sheet]*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2002). *Summary of findings from the 2001 National Household Survey on Drug Abuse: Volume II: Technical appendices and selected data tables* (DHHS Pub. No. (SMA) 02-3759). Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2002). *Treatment Episode Data Set (TEDS) 1992-2000: National admissions to substance abuse treatment services* (DHHS Pub. No. (SMA) 02-3727). Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2002). *Substance use among pregnant women during 1999 and 2000*. [On-line]. Retrieved February 9, 2004 from the World Wide Web: <http://www.samhsa.gov/oas>.

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2002). *Pregnant women in substance abuse treatment: The DASIS report*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2002). *Facilities offering special programs or services for women*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2003). *Overview of findings from the 2002 National Survey on Drug Use and Health: National findings* (DHHS Pub. No. (SMA) 03-3774). Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2003). *2002 National Survey on Drug Use and Health: Detailed tables*. [On-line]. Retrieved October 27, 2004 from the World Wide Web: <http://oas.samhsa.gov>.

- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2003). *Treatment Episode Data Set (TEDS) 1992-2001: National admissions to substance abuse treatment services* (DHHS Pub. No. 03-3778). Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2003). *Substance use and risk of suicide among youths*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2003). *National Survey of Substance Abuse Treatment Services (N-SSATS): 2002: Data on substance abuse treatment facilities* (DHHS Pub. No. (SMA) 03-3777). Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2004). *Women with co-occurring serious mental illness and a substance use disorder: The NSDUH report*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2004). *Pregnancy and substance use: The NSDUH report*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2005). *The NHSDA report: Substance use during pregnancy: 2002 and 2003 update*. Washington, DC: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
- Substance Abuse and Mental Health Services Administration. (2001). *SAMHSA fact sheet: Consequences of underage alcohol use*. [On-line]. Retrieved February 16, 2001 from the World Wide Web: <http://www.health.org>.
- Substance Abuse and Mental Health Services Administration. (2002). *Alcohol use among girls*. [On-line]. Retrieved April 10, 2002 from the World Wide Web: <http://www.health.org>.
- Sulzberger, A. O. (1981, May 22). Smoking warnings called ineffective: Report to Congress sees need for new caution system for ads and cigarette packages. *New York Times*, Pg. A14.
- Surgeon General's Advisory Committee on Smoking and Health. (1964). *Smoking and health: Report of the advisory committee to the Surgeon General of the Public Health Service* (Public Health Service Pub. No. 1103). Washington, DC: U.S. Government Printing Office.
- Swanson, M. W., Streissguth, A. P., Sampson, P. D., & Carmichael Olson, H. (1999). Prenatal cocaine and neuromotor outcome at four months: Effect of duration of exposure. *Journal of Developmental and Behavioral Pediatrics*, 20(5), 325-334.

- Swartzwelder, H. S., Wilson, W. A., & Tayyeb, M. I. (1995). Age-dependent inhibition of long-term potentiation by ethanol in immature versus mature hippocampus. *Alcoholism: Clinical and Experimental Research*, 19(6), 1480-1485.
- Swift, C. G. (1981). Psychotropic drugs and the elderly. In G. Tognoni, C. Bellantuono, & M. Lader (Eds.), *Epidemiological impact of psychotropic drugs: Proceedings of the International Seminar on Impact of Psychotropic Drugs held in Milan, Italy, 24-26 June, 1981* (pp. 325-338). New York: Elsevier/North-Holland Biomedical Press.
- Takkacouche, B., Regueira-Mendez, C., Garcia-Closas, R., Figueiras, A., Gestal-Otero, J. J., & Hernan, M. A. (2002). Intake of wine, beer, and spirits and the risk of clinical common cold. *American Journal of Epidemiology*, 155(9), 853-858.
- Tapert, S. F., Brown, G. G., Kindermann, S. S., Cheung, E. H., Frank, L. R., & Brown, S. A. (2001). fMRI measurement of brain dysfunction in alcohol-dependent young women. *Alcoholism: Clinical and Experimental Research*, 25(2), 236-245.
- Tarter, R. E. (1988). Are there inherited behavioral traits that predispose to substance abuse? *Journal of Consulting and Clinical Psychology*, 56(2), 189-196.
- Tarter, R., Vanyukov, M., Giancola, P., Dawes, M., Blackson, T., Mezzich, A., et al. (1999). Etiology of early age onset substance use disorder: A maturational perspective. *Development and Psychopathology*, 11(4), 657-683.
- Task Force of the National Advisory Council on Alcohol Abuse and Alcoholism. (2002). *A call to action: Changing the culture of drinking at U.S. colleges* (NIH Pub. No. 03-5010). Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Alcohol Abuse and Alcoholism.
- Taylor, D. H., Hasselblad, V., Henley, S. J., Thun, M. J., & Sloan, F. A. (2002). Benefits of smoking cessation for longevity. *American Journal of Public Health*, 92(6), 990-996.
- Taylor, J. M., Gilligan, C., & Sullivan, A. M. (1995). *Between voice and silence: Women and girls, race and relationship*. Cambridge, MA: Harvard University Press.
- Templin, D. P., & Martin, M. J. (1999). The relationship between religious orientation, gender, and drinking patterns among Catholic college students. *College Student Journal*, 33(4), 488-495.
- Terry, C. E., & Pellens, M. (1970). The extent of chronic opiate use in the United States prior to 1921. In J. C. Ball & C. D. Chambers (Eds.), *The epidemiology of opiate addiction in the United States* (pp. 36-67). Springfield, IL: Thomas.
- Terza, J. V. (2002). Alcohol abuse and employment: A second look. *Journal of Applied Econometrics*, 17(4), 393-404.
- Thadhani, R., Camargo, C. A., Stampfer, M. J., Curhan, G. C., Willett, W. C., & Rimm, E. B. (2002). Prospective study of moderate alcohol consumption and risk of hypertension in young women. *Archives of Internal Medicine*, 162(5), 569-574.
- The label on the liquor bottle [Editorial]. (1977, November 26). *New York Times*, Pg. 16.

- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (1996). *Substance abuse and the American woman*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (1997). *Back to school 1997: National survey of American attitudes on substance abuse III: Teens and their parents, teachers and principals*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (1998). *Under the rug: Substance abuse and the mature woman*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (1998). *Behind bars: Substance abuse and America's prison population*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (1999). *Dangerous liaisons: Substance abuse and sex*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (1999). *CASA analysis of the Youth Risk Behavior Survey (YRBS), 1997 [Data file]* [Data file]. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2000). *Missed opportunity: National survey of primary care physicians and patients on substance abuse*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2001). *Malignant neglect: Substance abuse and America's schools*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2001). *National survey of American attitudes on substance abuse VI: Teens*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2002). *CASA analysis of the National Household Survey on Drug Abuse (NHSDA), 1999* [Data file]. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2002). *Teen tipplers: America's underage drinking epidemic*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2002). *CASA analysis of the Youth Risk Behavior Survey (YRBS), 1999* [Data file]. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2002). *CASA analysis of the Treatment Episode Data Set (TEDS), 2002* [Data file]. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration.

- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2003). *Familial transmission of substance use disorders*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2003). *Food for thought: Substance abuse and eating disorders*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2003). *CASA analysis of the National Survey on Drug Use and Health, 2002* [Data file]. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2003). *The formative years: Pathways to substance abuse among girls and young women ages 8-22*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2003). *The economic value of underage drinking and excessive drinking to the alcohol industry: A CASA white paper*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2003). *The economic value of underage drinking and excessive drinking to the alcohol industry: A CASA white paper*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2003). *Food for thought: Substance abuse and eating disorders*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2003). *CASA analysis of the National Household Survey on Drug Abuse (NHSDA), 1990-2001* [Data file]. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2003). *Shoveling up: The impact of substance abuse on state budgets*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2003). *National survey of American attitudes on substance abuse VIII: Teens and parents*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2003). *Depression, substance abuse and college student engagement: A review of the literature*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2003). *Alcohol abuse on college campuses: A reconnaissance mission: Report to funders*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2004). *CASA analysis of the Health and Retirement Study, wave 1 data 1992* [Data file]. Ann Arbor, MI: Survey Research Center.

- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2004). *CASA analysis of the National Household Survey on Drug Abuse (NHSDA), 1990-2002* [Data file]. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2004). *You've got drugs!: Prescription drug pushers on the internet*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2004). *Criminal neglect: Substance abuse, juvenile justice and the children left behind*. New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2004). *CASA analysis of the Drug Evaluation Network System (DENS)* [Data file]. [On-line]. Retrieved January 2, 2004 from the World Wide Web: [http://www.tresearch.org/tx\\_systems/dens.htm](http://www.tresearch.org/tx_systems/dens.htm).
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2005). *CASA analysis of the National Survey on Drug Use and Health (NSDUH), 2003* [Data file]. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2005). *Under the counter: The diversion and abuse of controlled prescription drugs in the U.S.* New York: CASA.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2005). *CASA analysis of the mortality data from the Drug Abuse Warning Network 2002* [Data file]. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration.
- The National Center on Addiction and Substance Abuse (CASA) at Columbia University. (2005). *Substance abuse, mental health and engaged learning: Summary of findings from CASA's focus groups and national survey*. New York: CASA.
- The smoking report [Editorial]. (1964, January 12). *New York Times*, Pg. E12.
- TheTruth.com. (2004). *TheTruth.com Website*. [On-line]. Retrieved October 12, 2004 from the World Wide Web: <http://www.thetruth.com>.
- Thomas, J. D., Leany, B. D., & Riley, E. P. (2003). Differential vulnerability to motor deficits in second replicate HAS and LAS rats following neonatal alcohol exposure. *Pharmacology, Biochemistry and Behavior*, 75(1), 17-24.
- Thompson, M. P., & Kingree, J. B. (1998). The frequency and impact of violent trauma among pregnant substance abusers. *Addictive Behaviors*, 23(2), 257-262.
- Thun, M. J., Day-Lally, C. A., Calle, E. E., Flanders, W. D., & Heath, C. W. (1995). Excess mortality among cigarette smokers: Changes in a 20-year interval. *American Journal of Public Health*, 85(9), 1223-1230.

- Tinetti, M. E., Speechley, M., & Ginter, S. F. (1988). Risk factors for falls among elderly persons living in the community. *New England Journal of Medicine*, 319(26), 1701-1707.
- Tivis, L. J., & Galaver, J. S. (1994). Alcohol, hormones and health in postmenopausal women. *Alcohol Health and Research World*, 18(3), 185-188.
- Tobacco ads retreat [Editorial]. (1999, November 17). *Christian Science Monitor*, Pg. 10.
- Tobaccoads.org. (2004). *Misty: Slim'n sassy tobacco advertisement*. [On-line]. Retrieved November 5, 2004 from the World Wide Web: <http://www.tobaccoads.org>.
- Trachtenberg, A. I., & Fleming, M. F. (1994). *Diagnosis and treatment of drug abuse in family practice*. Kansas City, MS: American Academy of Family Physicians.
- Treloar, S. A., & Martin, N. G. (1990). Age at menarche as a fitness trait: Nonadditive genetic variance detected in a large twin sample. *American Journal of Human Genetics*, 47(1), 137-148.
- Tschann, J. M., Adler, N. E., Irwin Jr., C. E., Millstein, S. G., Turner, R. A., & Kegeles, S. M. (1994). Initiation of substance use in early adolescence: The roles of pubertal timing and emotional distress. *Health Psychology*, 13(4), 326-333.
- Turrisi, R., Jaccard, J., Taki, R., Dunnam, H., & Grimes, J. (2001). Examination of the short-term efficacy of a parent intervention to reduce college student drinking tendencies. *Psychology of Addictive Behaviors*, 15(4), 366-372.
- Turrisi, R., Wiersma, K. A., & Hughes, K. K. (2000). Binge-drinking-related consequences in college students: Role of drinking beliefs and mother-teen communications. *Psychology of Addictive Behaviors*, 14 (4), 342-355.
- Tuten, M., Jones, H. E., & Svikis, D. S. (2003). Comparing homeless and domiciled pregnant substance dependent women on psychosocial characteristics and treatment outcomes. *Drug and Alcohol Dependence*, 69 (1), 95-99.
- U.S. Census Bureau, Population Division. (2003). *Marital status of people 15 years and over, by age, sex, personal earnings, race, and Hispanic origin: 1, March 2002*. [On-line]. Retrieved March 18, 2004 from the World Wide Web: <http://www.census.gov>.
- U.S. Department of Agriculture, Center for Nutrition Policy and Promotion. (1997). *Does alcohol have a place in a healthy diet?* [On-line]. Retrieved March 2, 2004 from the World Wide Web: <http://www.usda.gov>.
- U.S. Department of Health and Human Services. (2004). *Reducing tobacco use: A report of the Surgeon General* (GPO Item No. 0494-H-04). Washington, DC: U.S. Government Printing Office.
- U.S. Food and Drug Administration. (2001). *Buying medicines and medical products online: General FAQs*. [On-line]. Retrieved March 5, 2004 from the World Wide Web: <http://www.fda.gov>.

- U.S. General Accounting Office. (1995). *Prescription drugs and the elderly*. Washington, DC: U.S. General Accounting Office.
- U.S. Public Health Service. (2000). *Treating tobacco use and dependence: Summary*. [On-line]. Retrieved April 21, 2005 from the World Wide Web: [www.surgeongeneral.gov/tobacco/smoeksum.htm](http://www.surgeongeneral.gov/tobacco/smoeksum.htm).
- United Press International. (1977, April 24). Advice on alcohol in pregnancy. *New York Times*, Pg. 26.
- United Press International. (1982, March 11). U.S. health officials endorse stronger cigarette warnings. *New York Times*, Pg. A15.
- University of Buffalo, Addiction Research Unit. (2001). *Before prohibition: Images from the preprohibition era when many psychotropic substances were legally available in America and Europe*. [On-line]. Retrieved March 4, 2004 from the World Wide Web: <http://wings.buffalo.edu/aru>.
- Urbano-Marquez, A., Estruch, R., Fernandez-Sola, J., Nicolas, J. M., Pare, J. C., & Rubin, E. (1995). The greater risk of alcoholic cardiomyopathy and myopathy in women compared with men. *JAMA*, 274(2), 149-154.
- Vachon, C. M., Cerhan, J. R., Vierkant, R. A., & Sellers, T. A. (2001). Investigation of an interaction of alcohol intake and family history on breast cancer risk in the Minnesota breast cancer family study. *Cancer*, 92(2), 240-248.
- Vakalahi, H. F. (2001). Adolescent substance use and family-based risk and protective factors: A literature review. *Journal of Drug Education*, 31(1), 29-46.
- Vakalahi, H. F., Harrison, R. S., & Janzen, F. V. (2000). The influence of family-based risk and protective factors on adolescent substance use. *Journal of Family Social Work*, 4(1), 21-34.
- van den Bree, M. B. M., Johnson, E. O., Neale, M. C., & Pickens, R. W. (1998). Genetic and environmental influences on drug use and abuse/dependence in male and female twins. *Drug and Alcohol Dependence*, 52(3), 231-241.
- Van Etten, M. L., Neumark, Y. D., & Anthony, J. C. (1999). Male-female differences in the earliest stages of drug involvement. *Addiction*, 94(9), 1413-1419.
- Van't Hof, S. M., Wall, M. A., Dowler, D. W., & Stark, M. J. (2000). Randomised controlled trial of a postpartum relapse prevention intervention. *Tobacco Control*, 9(Suppl. 3), III64-III66.
- Ventura, S. J., Hamilton, B. E., Mathews, B. J., & Chandra, A. (2003). Trends and variations in smoking during pregnancy and low birth weight: Evidence from the birth certificate, 1990-2000. *Pediatrics*, 111(5, Part 2), 1176-1180.
- Ventura, S. J., Martin, J. A., Curtin, S. C., and Mathews, T. J. (1998). Report of final natality statistics, 1996. *Monthly Vital Statistics Report*, 46(Suppl. 11).

- Vestal, R. E., McGuire, E. A., Tobin, J. D., Andres, R., Norris, A. H., & Mezey, E. (1977). Aging and ethanol metabolism. *Clinical Pharmacology and Therapeutics*, 21(3), 343-354.
- Vidaeff, A. C., & Mastrobattista, J. M. (2003). In utero cocaine exposure: A thorny mix of science and mythology. *American Journal of Perinatology*, 20(4), 165-172.
- Vogel-Sprott, M., & Barrett, P. (1984). Age, drinking habits and the effects of alcohol. *Journal of Studies on Alcohol*, 45(6), 517-521.
- Vogt, M. T., Cauley, J. A., Scott, J. C., Kuller, L. H., & Browner, W. S. (1996). Smoking and mortality among older women. *Archives of Internal Medicine*, 156(6), 630-636.
- Voorhees, C. C., Schreiber, G. B., Schumann, B. C., Biro, F., & Crawford, P. B. (2002). Early predictors of daily smoking in young women: The National Heart, Lung, and Blood Institute Growth and Health Study. *Preventive Medicine*, 34(6), 616-624.
- Wagenaar, A. C., Toomey, T. L., Murray, D. M., Short, B. J., Wolfson, M., & Jones-Webb, R. (1996). Sources of alcohol for underage drinkers. *Journal of Studies on Alcohol*, 57(3), 325-333.
- Wagner, E. F., & Atkins, J. H. (2000). Smoking among teenage girls. *Journal of Child and Adolescent Substance Abuse*, 9(4), 93-110.
- Walitzer, K. S., & Sher, K. J. (1996). A prospective study of self-esteem and alcohol use disorders in early adulthood: Evidence for gender differences. *Alcoholism: Clinical and Experimental Research*, 20(6), 1118-1124.
- Wall Street Journal Staff Reporter. (1990, January 15). Cigarette labels may need change to alert pregnant women, Surgeon General says. *Wall Street Journal*, Pg. 5.
- Wallace, J. M. (1999). The social ecology of addiction: Race, risk, and resilience. *Pediatrics*, 103(5), 1122-1127.
- Wallace, J. M., & Bachman, J. G. (1991). Explaining racial/ethnic differences in adolescent drug use: The impact of background and lifestyle. *Social Problems*, 38(3), 333-357.
- Wallace, J. M., Bachman, J. G., O'Malley, P. M., Schulenberg, J. E., Cooper, S. M., & Johnston, L. D. (2002). Gender and ethnic differences in smoking, drinking and illicit drug use among American 8th, 10th and 12th grade students, 1976-2000. *Addiction*, 98(2), 225-234.
- Waller, J. A. (1978). Falls among the elderly: Human and environmental factors. *Accident Analysis and Prevention*, 10(1), 21-33.
- Walsh, C. R., Larson, M. G., Evans, J. C., Djousse, L., Ellison, R. C., Vasan, R. C., et al. (2002). Alcohol consumption and risk for congestive heart failure in the Framingham Heart Study. *Annals of Internal Medicine*, 136(3), 181-191.
- Wang, M. Q., Fitzhugh, E. C., Westerfield, R. C., & Eddy, J. M. (1995). Family and peer influences on smoking behavior among American adolescents: An age trend. *Journal of Adolescent Health*, 16(3), 200-203.

- Webb, D. A., Culhane, J., Metraux, S., Robbins, J. M., & Culhane, D. (2003). Prevalence of episodic homelessness among adult childbearing women in Philadelphia, PA. *American Journal of Public Health, 93*(11), 1895-1896.
- Wechsberg, W. M., Craddock, S. G., & Hubbard, R. L. (1998). How are women who enter substance abuse treatment different than men? A gender comparison from the Drug Abuse Treatment Outcome Study (DATOS). *Drugs and Society, 13*(1-2), 97-115.
- Wechsler, H. (1996). Alcohol and the American college campus: A report from the Harvard School of Public Health. *Change, 28*(4), 20-26.
- Wechsler, H., Lee, J. E., Kuo, M., Seibring, M., Nelson, T. F., & Lee, H. (2002). Trends in college binge drinking during a period of increased prevention efforts: Findings from 4 Harvard School of Public Health College Alcohol Study surveys: 1993-2001. *Journal of American College Health, 50*(5), 203-217.
- Wechsler, H., Rigotti, N. A., Gledhill-Hoyt, J., & Lee, H. (1998). Increased levels of cigarette use among college students: A cause for national concern. *JAMA, 280*(19), 1673-1678.
- Weinberg, N. Z. (1997). Cognitive and behavioral deficits associated with parent alcohol use. *Journal of the American Academy of Child and Adolescent Psychiatry, 36*(9), 1177-1186.
- Weiss, S. R., Kung, H. C., & Pearson, J. L. (2003). Emerging issues in gender and ethnic differences in substance abuse and treatment. *Current Women's Health Reports, 3*(3), 245-253.
- Weissman, M. M., Warner, V., Wickramaratne, P. J., & Kandel, D. B. (1999). Maternal smoking during pregnancy and psychopathology in offspring followed to adulthood. *Journal of the American Academy of Child and Adolescent Psychiatry, 38*(7), 892-899.
- Wellisch, J., Prendergast, M. L., & Anglin, M. D. (1994). Jail: A found opportunity for intervening with drug-abusing pregnant women. *Journal of Correctional Health Care, 1*(1), 17-38.
- Welte, J. W., & Mirand, A. L. (1994). Lifetime drinking patterns of elders from a general population survey. *Drug and Alcohol Dependence, 35*(2), 133-140.
- Wesson, D. R., & Smith, D. E. (1990). Prescription drug abuse: Patient, physician, and cultural responsibilities. *Western Journal of Medicine, 152*(5), 613-616.
- Whalen, C. K., Jamner, L. D., Henker, B., & Delfino, R. J. (2001). Smoking and moods in adolescents with depressive and aggressive dispositions: Evidence from surveys and electronic diaries. *Health Psychology, 20*(2), 99-111.
- Whelan, E. M. (1998). *Health advice in women's magazines: Up in smoke?* [On-line]. Retrieved February 27, 2004 from the World Wide Web: <http://www.acsh.org>.
- White, W. L. (1998). *Slaying the dragon: The history of addiction treatment and recovery in America*. Bloomington, IL: Chestnut Health Systems/Lighthouse Institute.

- White, W. L. (2003). The history of "medicinal specifics" as addiction cures in the United States. *Addiction, 98*(3), 261-267.
- Whitebread, C. (1995). *The history of the non-medical use of drugs in the United States*. [Online]. Retrieved June 4, 2004 from the World Wide Web: <http://www.druglibrary.org>.
- Wichstrøm, L. (2001). The impact of pubertal timing on adolescents' alcohol use. *Journal of Research on Adolescence, 11*(2), 131-150.
- Widom, C. S., Weiler, B. L., & Cottler, L. B. (1999). Childhood victimization and drug abuse: A comparison of prospective and retrospective findings. *Journal of Consulting and Clinical Psychology, 67*(6), 867-880.
- Wiesner, M., & Ittel, A. (2002). Relations of pubertal timing and depressive symptoms to substance use in early adolescence. *Journal of Early Adolescence, 22*(1), 5-23.
- Wilford, B. B., Finch, J., Czechowicz, D. J., & Warren, D. (1994). An overview of prescription drug misuse and abuse: Defining the problem and seeking solutions. *Journal of Law, Medicine and Ethics, 22*(3), 197-203.
- Willett, W. C., Green, A., Stampfer, M. J., Speizer, F. E., Colditz, G. A., Rosner, B., et al. (1987). Relative and absolute excess risks of coronary heart disease among women who smoke cigarettes. *New England Journal of Medicine, 317*(21), 1303-1309.
- Willett, W., Stampfer, M. J., Bain, C., Lipnick, R., Speizer, F. E., Rosner, B., et al. (1983). Cigarette smoking, relative weight, and menopause. *American Journal of Epidemiology, 117*(6), 651-658.
- Willford, J. A., Richardson, G. A., Leech, S. L., & Day, N. L. (2004). Verbal and visuospatial learning and memory function in children with moderate prenatal alcohol exposure. *Alcoholism: Clinical and Experimental Research, 28*(3), 497-507.
- Williams, A. R., Weiss, N. S., Ure, C. L., Ballard, J., & Daling, J. R. (1982). Effect of weight, smoking and estrogen use on the risk of hip and forearm fractures in postmenopausal women. *Journal of Obstetrics and Gynecology, 60*(6), 695-699.
- Wills, T. A., Vaccaro, D., & McNamara, G. (1992). The role of life events, family support, and competence in adolescent substance use: A test of vulnerability and protective factors. *American Journal of Community Psychology, 20*(3), 349-374.
- Wills, T., Sandy, J., Shinar, O., & Yaeger, A. (1999). Contributions of positive and negative affect to adolescent substance use: Test of bidimensional model in a longitudinal study. *Psychology of Addictive Behaviors, 13*(4), 327-338.
- Wilsnack, R. W., & Cheloha, R. (1987). Women's roles and problem drinking across the lifespan. *Social Problems, 34*(3), 231-248.
- Wilsnack, S. C. (1996). Patterns and trends in women's drinking: Recent findings and some implications for prevention. In J. Howard (Ed.), *Women and alcohol: Issues for prevention research: NIAAA research monograph #32* (NIH Pub. No. 96-3817, pp. 19-63). Bethesda, MD: U.S. Department of Health and Human Services, Public Health

Service, National Institutes of Health, National Institute on Alcohol Abuse and Alcoholism.

- Wilsnack, S. C., & Wilsnack, R. W. (1995). Drinking and problem drinking in US women: Patterns and recent trends. In M. Galanter (Ed.), *Recent developments in alcoholism, volume 12: Women and alcoholism* (pp. 29-60). New York: Plenum.
- Wilsnack, S. C., Vogeltanz, N., Klassen, A. D., & Harris, T. R. (1997). Childhood sexual abuse and women's substance abuse: National survey findings. *Journal of Studies on Alcohol, 58*(3), 264-271.
- Wilson, D. M., Killen, J. D., Hayward, C., Robinson, T. N., Hammer, L. D., Kraemer, H. C., et al. (1994). Timing and rate of sexual maturation and the onset of cigarette and alcohol use among teenage girls. *Archives of Pediatrics and Adolescent Medicine, 148*(8), 789-795.
- Windle, M. (1991). The difficult temperament in adolescence: Associations with substance use, family support, and problem behaviors. *Journal of Clinical Psychology, 47*(2), 310-315.
- Winick, C. (1962). Maturing out of narcotic addiction. *Bulletin on Narcotics, 14*, 1-7.
- Winick, C., & Kinsie, P. M. (1971). *The lively commerce: Prostitution in the United States*. Chicago: Quadrangle Books.
- Winkelstein, W. (1990). Smoking and cervical cancer, current status: A review. *American Journal of Epidemiology, 131*(6), 945-957.
- Wolk, S. I., & Weissman, M. M. (1995). Women and depression: An update. In American Psychiatric Press (Ed.), *Review of psychiatry: Volume 14* (pp. 227-259). Washington, DC: American Psychiatric Press.
- World Health Organization. (2000). *Mother-to-child transmission to HIV (MTCT)*. [On-line]. Retrieved November 1, 2004 from the World Wide Web: <http://www.who.int>.
- Wright, L. S. (1983). Correlates of reported drinking problems among male and female college students. *Journal of Alcohol and Drug Education, 28*(3), 47-57.
- Wu, L.-T., & Anthony, J. C. (1999). Tobacco smoking and depressed mood in late childhood and early adolescence. *American Journal of Public Health, 89*(12), 1837-1840.
- Wuethrich, B. (2001, March). Getting stupid. *Discover, 22*(3), Pg. 57-63.
- Wyckoff, E. (1997). *Dry drunk: The culture of tobacco in the 17th and 18th century Europe*. [On-line]. Retrieved January 2, 2002 from the World Wide Web: <http://www.nypl.org/research>.
- Wynder, E. L., & Graham, E. (1950). Tobacco smoking as a possible etiologic factor in bronchiogenic carcinoma: A study of 684 proven cases. *JAMA, 143*(4), 329-336.
- Wysowski, D. K., & Baum, C. (1991). Outpatient use of prescription sedative-hypnotic drugs in the United States, 1970 through 1989. *Archives of Internal Medicine, 151*(9), 1779-1783.

- Yi, H., Williams, G. D., & Dufour, M. C. (2002). *Trends in alcohol-related fatal traffic crashes, United States, 1977-2000: Surveillance report #61*. Rockville, MD: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute on Alcohol Abuse and Alcoholism.
- Young, N. K. (1997). Effects of alcohol and other drugs on children. *Journal of Psychoactive Drugs*, 29(1), 23-42.
- Zang, E., & Wynder, E. (1996). Differences in lung cancer risk between men and women. *Journal of the National Cancer Institute*, 88(3-4), 183-192.
- Zickler, P. (2000). Evidence builds that genes influence cigarette smoking. *NIDA Notes*, 15(2), 1, 5.
- Zickler, P. (2003). Nicotine's multiple effects on the brain's reward system drive addiction. *NIDA Notes*, 17(6).
- Zimberg, S. (1984). Diagnosis and management of the elderly alcoholic. In R. M. Atkinson (Ed.), *Alcohol and drug abuse in old age* (pp. 23-34). Washington, DC: American Psychiatric Press.
- Zisook, S., & Shuchter, S. R. (1991). Depression through the first year after the death of a spouse. *American Journal of Psychiatry*, 148(10), 1346-1352.